

## **Product datasheet for TP304205**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## L3HYPDH (NM\_144581) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human chromosome 14 open reading frame 149 (C14orf149), 20 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC204205 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MESALAVPWLPPHDPGTPVLSVVDMHTGGEPLRIVLAGCPEVSGPTLLAKRRYMRQHLDHVRRRLMFEPR GHRDMYGAVLVPSELPDAHLGVLFLHNEGYSSMCGHAVLALGRFALDFGLVPAPPAGTREARVNIHCPCG LVTAFVACEDGRSHGPVRFHSVPAFVLATDLMVDVPGHGKVMVDIAYGGAFYAFVTAEKLGLDICSAKTR DLVDAASAVTEAVKAQFKINHPDSEDLAFLYGTILTDGKDAYTKEPTTNICVFADEQVDRSPTGSGVTAR IALQYHKGLLELNQMRAFKSSATGSVFTGKAVREAKCGDFKAVIVEVSGQAHYTGTASFIIEDDDPLRDG

FLLK

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

Predicted MW: 38 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 653182

**Locus ID:** 112849



UniProt ID: Q96EM0

RefSeq Size: 1381

Cytogenetics: 14q23.1 RefSeq ORF: 1062


Synonyms: C14orf149

**Summary:** The protein encoded by this gene is a dehydratase that converts trans-3-hydroxy-L-proline to

delta(1)-pyrroline-2-carboxylate. This enzyme may function to degrade dietary proteins that contain trans-3-hydroxy-L-proline as well as other proteins such as collagen IV. The encoded protein can be converted to an epimerase by changing a threonine to a cysteine at a catalytic

site. [provided by RefSeq, Sep 2016]

## **Product images:**



Coomassie blue staining of purified L3HYPDH protein (Cat# TP304205). The protein was produced from HEK293T cells transfected with L3HYPDH cDNA clone (Cat# [RC204205]) using MegaTran 2.0 (Cat# [TT210002]).