

## Product datasheet for TP304257L

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RMND5A (NM 022780) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human required for meiotic nuclear division 5 homolog A (S.

cerevisiae) (RMND5A), 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC204257 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MDQCVTVERELEKVLHKFSGYGQLCERGLEELIDYTGGLKHEILQSHGQDAELSGTLSLVLTQCCKRIKD TVQKLASDHKDIHSSVSRVGKAIDKNFDSDISSVGIDGCWQADSQRLLNEVMVEHFFRQGMLDVAEELC

Q

ESGLSVDPSQKEPFVELNRILEALKVRVLRPALEWAVSNREMLIAQNSSLEFKLHRLYFISLLMGGTTNQ REALQYAKNFQPFALNHQKDIQVLMGSLVYLRQGIENSPYVHLLDANQWADICDIFTRDACALLGLSVES PLSVSFSAGCVALPALINIKAVIEQRQCTGVWNQKDELPIEVDLGKKCWYHSIFACPILRQQTTDNNPPM

KLVCGHIISRDALNKMFNGSKLKCPYCPMEQSPGDAKQIFF

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK
Predicted MW: 43.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.





RefSeq: NP 073617

Locus ID: 64795 **UniProt ID:** Q9H871 RefSeq Size: 6201 Cytogenetics: 2p11.2 1173 RefSeq ORF:


Synonyms: CTLH; GID2; GID2A; p44CTLH; RMD5

**Summary:** Core component of the CTLH E3 ubiquitin-protein ligase complex that selectively accepts

ubiquitin from UBE2H and mediates ubiquitination and subsequent proteasomal degradation of the transcription factor HBP1. MAEA and RMND5A are both required for catalytic activity of the CTLH E3 ubiquitin-protein ligase complex (PubMed:29911972). Catalytic activity of the complex is required for normal cell proliferation (PubMed:29911972). The CTLH E3 ubiquitin-

protein ligase complex is not required for the degradation of enzymes involved in gluconeogenesis, such as FBP1 (PubMed:29911972).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Coomassie blue staining of purified RMND5A protein (Cat# [TP304257]). The protein was produced from HEK293T cells transfected with RMND5A cDNA clone (Cat# [RC204257]) using MegaTran 2.0 (Cat# [TT210002]).