

Product datasheet for TP304709M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hemoglobin subunit gamma 2 (HBG2) (NM 000184) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human hemoglobin, gamma G (HBG2), 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC204709 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MGHFTEEDKATITSLWGKVNVEDAGGETLGRLLVVYPWTQRFFDSFGNLSSASAIMGNPKVKAHGKKVLT SLGDAIKHLDDLKGTFAQLSELHCDKLHVDPENFKLLGNVLVTVLAIHFGKEFTPEVQASWQKMVTAVAS

ALSSRYH

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 15.9 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000175

Locus ID: 3048

UniProt ID: <u>P69892</u>, <u>D9YZU9</u>

RefSeq Size: 583





Cytogenetics: 11p15.4

RefSeq ORF: 441


Synonyms: HBG-T1; TNCY

Summary: The gamma globin genes (HBG1 and HBG2) are normally expressed in the fetal liver, spleen

and bone marrow. Two gamma chains together with two alpha chains constitute fetal hemoglobin (HbF) which is normally replaced by adult hemoglobin (HbA) at birth. In some beta-thalassemias and related conditions, gamma chain production continues into adulthood. The two types of gamma chains differ at residue 136 where glycine is found in the G-gamma product (HBG2) and alanine is found in the A-gamma product (HBG1). The former is predominant at birth. The order of the genes in the beta-globin cluster is: 5'- epsilon --

gamma-G -- gamma-A -- delta -- beta--3'. [provided by RefSeq, Jul 2008]

Product images:



Coomassie blue staining of purified HBG2 protein (Cat# [TP304709]). The protein was produced from HEK293T cells transfected with HBG2 cDNA clone (Cat# [RC204709]) using MegaTran 2.0 (Cat# [TT210002]).