

Product datasheet for TP304727M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CLIC2 (NM 001289) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human chloride intracellular channel 2 (CLIC2), 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC204727 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MSGLRPGTQVDPEIELFVKAGSDGESIGNCPFCQRLFMILWLKGVKFNVTTVDMTRKPEELKDLAPGTNP PFLVYNKELKTDFIKIEEFLEQTLAPPRYPHLSPKYKESFDVGCNLFAKFSAYIKNTQKEANKNFEKSLL KEFKRLDDYLNTPLLDEIDPDSAEEPPVSRRLFLDGDQLTLADCSLLPKLNIIKVAAKKYRDFDIPAEFS

GVWRYLHNAYAREEFTHTCPEDKEIENTYANVAKQKS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 28.2 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol Bioactivity: ELISA capture for autoantibodies (PMID: 28862243)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001280

Locus ID: 1193





UniProt ID: O15247

RefSeq Size: 2694
Cytogenetics: Xq28
RefSeq ORF: 741

Synonyms: CLCNL2; CLIC2b; MRXS32; XAP121


Summary: This gene encodes a chloride intracellular channel protein. Chloride channels are a diverse

group of proteins that regulate fundamental cellular processes including stabilization of cell membrane potential, transepithelial transport, maintenance of intracellular pH, and regulation of cell volume. This protein plays a role in inhibiting the function of ryanodine receptor 2. A mutation in this gene is the cause of an X-linked form of cognitive disability.


[provided by RefSeq, Jul 2017]

Protein Families: Druggable Genome, Ion Channels: Other

Product images:



Autoantibodies against chloride intracellular channel 2 (CLIC2) and high mobility group box 1 (HMGB1) in sera from systemic lupus erythematosus patients (n = 43) versus healthy controls (n = 43) were detected in ELISA assays with CLIC2 (OriGene [TP304727]) and HMGB1 (OriGene [TP720309]) recombinant proteins. Figure cited from J Postgrad Med, PMID: 28862243



Coomassie blue staining of purified CLIC2 protein (Cat# [TP304727]). The protein was produced from HEK293T cells transfected with CLIC2 cDNA clone (Cat# [RC204727]) using MegaTran 2.0 (Cat# [TT210002]).