

## Product datasheet for **TP304791M**

### **RBPJK (RBPJ) (NM\_203283) Human Recombinant Protein**

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human recombination signal binding protein for immunoglobulin kappa J region (RBPJ), transcript variant 3, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC204791 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MGGCRKFGERPPPKRLTREAMRNYLKERGDQTVLILHAKVAQKSYGNEKRFFCPPPCVYLMGSGWKKKKE  
QMERDGCSEQESQPCAFIGIGNSDQEMQQLNLEGKNYCTAKTLYISDSDKRKHFMLSVMKMFYGNSSDDIGV  
FLSKRIKVISKPSKKKQSLKNADLCIASGTKVALFNRLRSQTVSTRYLHVEGGNFHASSQWGAFFIHL  
DDDESEGEFTVRDGYIHYGQTVKLVCSVTGMALPRLIIRKVDKQTALLDADDPVSQLHKCAFYLKDTER  
MYLCLSQERIIQFQATPCPKENKEMINDGASWTIISTDKAEYTFYEGMGPVLAPVTPVPVWESLQLNGG  
GDVAMLELTGQNFNLRVWFGDVEAETMYRCGESMLCVDPDISAFREGWRWVRQPVPVTLVRNDGII  
YSTSLTFTYTPPEGPRPHCSAAGAILRANSSQVPPNESNTNSEGSYTNASTNSTSVTSSTATVVS

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**


Tag:	C-Myc/DDK
Predicted MW:	54 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.



[View online »](#)

RefSeq:	<a href="#">NP_976028</a>
Locus ID:	3516
UniProt ID:	<a href="#">Q06330</a>
RefSeq Size:	5762
Cytogenetics:	4p15.2
RefSeq ORF:	1455
Synonyms:	AOS3; CBF-1; CBF1; csl; IGKJRB; IGKJRB1; KBF2; RBP-J; RBP-JK; RBP-J kappa; RBPJK; RBPSUH; SUH
Summary:	<p>The protein encoded by this gene is a transcriptional regulator important in the Notch signaling pathway. The encoded protein acts as a repressor when not bound to Notch proteins and an activator when bound to Notch proteins. It is thought to function by recruiting chromatin remodeling complexes containing histone deacetylase or histone acetylase proteins to Notch signaling pathway genes. Several transcript variants encoding different isoforms have been found for this gene, and several pseudogenes of this gene exist on chromosome 9. [provided by RefSeq, Oct 2013]</p>
Protein Families:	Transcription Factors
Protein Pathways:	Notch signaling pathway

### Product images:



Coomassie blue staining of purified RBPJ protein (Cat# [TP304791]). The protein was produced from HEK293T cells transfected with RBPJ cDNA clone (Cat# [RC204791]) using MegaTran 2.0 (Cat# [TT210002]).