

## **Product datasheet for TP304902L**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PTP1B (PTPN1) (NM\_002827) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human protein tyrosine phosphatase, non-receptor type 1 (PTPN1), 1

mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC204902 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MEMEKEFEQIDKSGSWAAIYQDIRHEASDFPCRVAKLPKNKNRNRYRDVSPFDHSRIKLHQEDNDYINAS LIKMEEAQRSYILTQGPLPNTCGHFWEMVWEQKSRGVVMLNRVMEKGSLKCAQYWPQKEEKEMIFEDTNL KLTLISEDIKSYYTVRQLELENLTTQETREILHFHYTTWPDFGVPESPASFLNFLFKVRESGSLSPEHGP VVVHCSAGIGRSGTFCLADTCLLLMDKRKDPSSVDIKKVLLEMRKFRMGLIQTADQLRFSYLAVIEGAKF IMGDSSVQDQWKELSHEDLEPPPEHIPPPPRPPKRILEPHNGKCREFFPNHQWVKEETQEDKDCPIKEEK GSPLNAAPYGIESMSQDTEVRSRVVGGSLRGAQAASPAKGEPSLPEKDEDHALSYWKPFLVNMCVATVLT

AGAYLCYRFLFNSNT

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK
Predicted MW: 49.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.





RefSeq: NP 002818

Locus ID: 5770

UniProt ID: P18031, A8K3M3

RefSeq Size: 3573

Cytogenetics: 20q13.13

RefSeq ORF: 1305 PTP1B Synonyms:

**Summary:** The protein encoded by this gene is the founding member of the protein tyrosine phosphatase

> (PTP) family, which was isolated and identified based on its enzymatic activity and amino acid sequence. PTPs catalyze the hydrolysis of the phosphate monoesters specifically on tyrosine residues. Members of the PTP family share a highly conserved catalytic motif, which is essential for the catalytic activity. PTPs are known to be signaling molecules that regulate a variety of

cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic

transformation. This PTP has been shown to act as a negative regulator of insulin signaling by dephosphorylating the phosphotryosine residues of insulin receptor kinase. This PTP was also reported to dephosphorylate epidermal growth factor receptor kinase, as well as JAK2 and TYK2 kinases, which implicated the role of this PTP in cell growth control, and cell response to


interferon stimulation. Two transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Jul 2013]

**Protein Families:** Druggable Genome, Phosphatase, Transmembrane

**Protein Pathways:** Adherens junction, Insulin signaling pathway

## **Product images:**



Coomassie blue staining of purified PTPN1 protein (Cat# [TP304902]). The protein was produced from HEK293T cells transfected with PTPN1 cDNA clone (Cat# [RC204902]) using MegaTran 2.0 (Cat# [TT210002]).