

## Product datasheet for TP304952L

### XRCC1 (NM\_006297) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human X-ray repair complementing defective repair in Chinese hamster cells 1 (XRCC1), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC204952 protein sequence Red=Cloning site Green=Tags(s)

MPEIRLRHVSCSSQDSTHCAENLLKADTYRKWRAAKAGEKTISVWLQLEKEEQIHSVDIGNDGSAFVEV  
LVGSSAGGAGEQDYEVLLVTSSFMSPESESRSGSNPNRVRMFGPDKLVRAAAEKRWDRVKIVCSQPYSKDS  
PFGLSFVRFHSPDKDEAEAPSQKVTVTKLGQFRVKEEDESANSLRPGALFFSRINKTSPVTASDPAGPS  
YAAATLQASSAASSASPVSAIGSTSKPQESPKGKRKLDLNQEEKTPSKPPAQLSPVPRKPKLPAPTR  
TPATAPVPARAQGAVTGKPRGEGTEPRRPRAGPEELGKILQGVVWLSGFQNPFRSELKALELGAKYR  
PDWTRDSTHLICAFANTPKYSQVLGLGGRIVRKEWVLDCHRMRRRLPSQRYLMAGPGSSSEEDASHSGG  
SGDEAPKLPQKQPQTKTKPTQAAGPSSPQPPTPEETKAASVQLQEDIDIEGVQSEGQDNGAEDSGDTE  
ELRRVAEQKEHRLPPGQEENGEDPYAGSTDENTDSEEHQEPDLPVPELPDFQGGKHFLLYGEFFGDERR  
KLIRYVTAFNGELEDYMSDRVQFVITAQEWDPSEALMDNPSLAFVRPRWIYSCNEKQKLLPHQLYGVV  
PQA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	69.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<u>NP_006288</u>
<b>Locus ID:</b>	7515
<b>UniProt ID:</b>	<u>P18887</u> , <u>B2RCY5</u> , <u>Q59HH7</u>
<b>RefSeq Size:</b>	2102
<b>Cytogenetics:</b>	19q13.31
<b>RefSeq ORF:</b>	1899
<b>Synonyms:</b>	RCC; SCAR26
<b>Summary:</b>	The protein encoded by this gene is involved in the efficient repair of DNA single-strand breaks formed by exposure to ionizing radiation and alkylating agents. This protein interacts with DNA ligase III, polymerase beta and poly (ADP-ribose) polymerase to participate in the base excision repair pathway. It may play a role in DNA processing during meiosis and recombination in germ cells. A rare microsatellite polymorphism in this gene is associated with cancer in patients of varying radiosensitivity. [provided by RefSeq, Jul 2008]
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Base excision repair

**Product images:**

Coomassie blue staining of purified XRCC1 protein (Cat# [TP304952]). The protein was produced from HEK293T cells transfected with XRCC1 cDNA clone (Cat# [RC204952]) using MegaTran 2.0 (Cat# [TT210002]).