

Product datasheet for TP305102

SHMT1 (NM_148918) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human serine hydroxymethyltransferase 1 (soluble) (SHMT1), transcript variant 2, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC205102 protein sequence Red =Cloning site Green =Tags(s)
	<p>MTMPVNGAHKDADLWSSHDKMLAQPLKDSDEVYNIKKESNRQRVGLELIASENFASRAVLEALGSCLN</p> <p>NKYSEGYPGQRYYGTEFIDELETLCQKRALQAYKLDPQCWGVNVQPYSGSPANFAVYTALVEPHGRIMGLDLPDGGHLTHGFMTDKKKISATSIFFESMPYKVPDPTGYINYDQLEENARLFHPKLIAGTSCYSRNLEYARLRKIADENGAYLMADMAHISGLVAAGVVPSPFEHCHWTTTTTHKTLRGCRAGMIFYRKGVAVALKQAMTLEFKVYQHQQVANCRALEALTELGKIVTGGSDNHLLVLDLRSKGTDGGRAEKVLEACSIACNKNTCPGDRSALRPSGLRLGTPALTSRGLLEKDFQKVAHFHIRGIELTLQIQSDTGVRATLKEFKERLAGDKYQAAVQALREEVESFASLFPLPLPDF</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	48.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_683718
Locus ID:	6470
UniProt ID:	P34896
RefSeq Size:	2436
Cytogenetics:	17p11.2
RefSeq ORF:	1332
Synonyms:	CSHMT; SHMT
Summary:	This gene encodes the cytosolic form of serine hydroxymethyltransferase, a pyridoxal phosphate-containing enzyme that catalyzes the reversible conversion of serine and tetrahydrofolate to glycine and 5,10-methylene tetrahydrofolate. This reaction provides one-carbon units for synthesis of methionine, thymidylate, and purines in the cytoplasm. This gene is located within the Smith-Magenis syndrome region on chromosome 17. A pseudogene of this gene is located on the short arm of chromosome 1. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013]
Protein Pathways:	Cyanoamino acid metabolism, Glycine, serine and threonine metabolism, Metabolic pathways, Methane metabolism, One carbon pool by folate

Product images:



Coomassie blue staining of purified SHMT1 protein (Cat# TP305102). The protein was produced from HEK293T cells transfected with SHMT1 cDNA clone (Cat# [RC205102]) using MegaTran 2.0 (Cat# [TT210002]).