

Product datasheet for TP305105

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cofilin 2 (CFL2) (NM_021914) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human cofilin 2 (muscle) (CFL2), transcript variant 1, 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC205105 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

 $MASGVTVNDEVIKVFNDMKVRKSSTQEEIKKRKKAVLFCLSDDKRQIIVEEAKQILVGDIGDTVEDPYTS\\FVKLLPLNDCRYALYDATYETKESKKEDLVFIFWAPESAPLKSKMIYASSKDAIKKKFTGIKHEWQVNGL$

DDIKDRSTLGEKLGGNVVVSLEGKPL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 18.6 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 068733

Locus ID: 1073

UniProt ID: <u>Q9Y281</u>, <u>Q549N0</u>

RefSeq Size: 3125



Cofilin 2 (CFL2) (NM_021914) Human Recombinant Protein - TP305105

Cytogenetics: 14q13.1

RefSeq ORF: 498

Synonyms: NEM7

Summary: This gene encodes an intracellular protein that is involved in the regulation of actin-filament


dynamics. This protein is a major component of intranuclear and cytoplasmic actin rods. It can bind G- and F-actin in a 1:1 ratio of cofilin to actin, and it reversibly controls actin polymerization and depolymerization in a pH-dependent manner. Mutations in this gene cause nemaline myopathy type 7, a form of congenital myopathy. Alternative splicing results

in multiple transcript variants. [provided by RefSeq, Jul 2009]

Protein Families: Druggable Genome

Protein Pathways: Axon guidance, Fc gamma R-mediated phagocytosis, Regulation of actin cytoskeleton

Product images:



Coomassie blue staining of purified CFL2 protein (Cat# TP305105). The protein was produced from HEK293T cells transfected with CFL2 cDNA clone (Cat# [RC205105]) using MegaTran 2.0 (Cat# [TT210002]).