

Product datasheet for TP305633M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KCTD6 (NM_153331) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human potassium channel tetramerisation domain containing 6

(KCTD6), transcript variant 1, 100 µg

Species: Human Expression Host: HEK293T

Expression cDNA >RC205633 protein sequence
Clone or AA Red=Cloning site Green=Tags(s)

Sequence:

MDNGDWGYMMTDPVTLNVGGHLYTTSLTTLTRYPDSMLGAMFGGDFPTARDPQGNYFIDRDGPLFRYVLN

FLRTSELTLPLDFKEFDLLRKEADFYQIEPLIQCLNDPKPLYPMDTFEEVVELSSTRKLSKYSNPVAVII TQLTITTKVHSLLEGISNYFTKWNKHMMDTRDCQVSFTFGPCDYHQEVSLRVHLMEYITKQGFTIRNTRV

HHMSERANENTVEHNWTFCRLARKTDD

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK
Predicted MW: 27.4 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: <u>NP 699162</u> **Locus ID:** 200845



KCTD6 (NM_153331) Human Recombinant Protein - TP305633M

UniProt ID: Q8NC69
RefSeq Size: 1840
Cytogenetics: 3p14.3
RefSeq ORF: 711
Synonyms: KCASH3


Summary: Probable substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin-protein ligase

complex mediating the ubiquitination and subsequent proteasomal degradation of target proteins. Promotes the ubiquitination of HDAC1; the function seems to depend on KCTD11:KCTD6 oligomerization. Can function as antagonist of the Hedgehog pathway by affecting the nuclear transfer of transcription factor GLI1; the function probably occurs via HDAC1 down-regulation, keeping GLI1 acetylated and inactive. Inhibits cell growth and tumorigenicity of medulloblastoma (MDB) (PubMed:21472142). Involved in regulating protein levels of ANK1 isoform Mu17 probably implicating CUL3-dependent proteasomal degradation

(PubMed:22573887).[UniProtKB/Swiss-Prot Function]

Protein Families: Ion Channels: Other

Product images:



Coomassie blue staining of purified KCTD6 protein (Cat# [TP305633]). The protein was produced from HEK293T cells transfected with KCTD6 cDNA clone (Cat# [RC205633]) using MegaTran 2.0 (Cat# [TT210002]).