

# Product datasheet for TP305666M

## Neurokinin B (TAC3) (NM\_013251) Human Recombinant Protein

### **Product data:**

#### **Product Type: Recombinant Proteins Description:** Recombinant protein of human tachykinin 3 (TAC3), 100 µg Species: Human HEK293T **Expression Host:** Expression cDNA Clone >RC205666 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s) MRIMLLFTAILAFSLAQSFGAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLKALSQASTD PKESTSPEKRDMHDFFVGLMGKRSVQPDSPTDVNQENVPSFGILKYPPRAE **TRTRPLEQKLISEEDLAANDILDYKDDDDKV** Tag: C-Myc/DDK Predicted MW: 13.3 kDa **Concentration:** >0.05 µg/µL as determined by microplate BCA method > 80% as determined by SDS-PAGE and Coomassie blue staining Purity: **Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol Recombinant protein was captured through anti-DDK affinity column followed by **Preparation:** conventional chromatography steps. Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. Store at -80°C. Storage: Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. RefSeq: NP 037383 Locus ID: 6866 **UniProt ID:** Q9UHF0, A0A024RB47 **RefSeq Size:** 841 Cytogenetics: 12q13.3



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	Neurokinin B (TAC3) (NM_013251) Human Recombinant Protein – TP305666M
RefSeq ORF:	363
Synonyms:	HH10; LncZBTB39; NK3; NKB; NKNB; PRO1155; ZNEUROK1
Summary:	This gene encodes a member of the tachykinin family of secreted neuropeptides. The encoded preproprotein is proteolytically processed to generate the mature peptide, which is primarily expressed in the central and peripheral nervous systems and functions as a neurotransmitter. This peptide is the ligand for the neurokinin-3 receptor. This protein is also expressed in the outer syncytiotrophoblast of the placenta and may be associated with pregnancy-induced hypertension and pre-eclampsia. Mutations in this gene are associated with normosmic hypogonadotropic hypogonadism. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Feb 2016]
Protein Families	: Druggable Genome, Secreted Protein

## **Product images:**



Coomassie blue staining of purified TAC3 protein (Cat# [TP305666]). The protein was produced from HEK293T cells transfected with TAC3 cDNA clone (Cat# [RC205666]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US