

Product datasheet for **TP305673L**

IGF2BP2 (NM_006548) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human insulin-like growth factor 2 mRNA binding protein 2 (IGF2BP2), transcript variant 1, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC205673 protein sequence Red =Cloning site Green =Tags(s)

MNKLYIGNLSPA VTADDLRQLFGDRK LPLAGQVLLKSGYAFVDYDPDQNWAI RAIETLSGKVELHGKIMEV
DYSVSKKLR SRKIQRNIPPHLQWEVLDGLLAQYGTVENVEQVNTDTETAVNVNTYATREEAKIAMEKLS
GHQFENYSFKISYIPDEEVSSPSPQRAQRGDHSSREQGHAPGGTSQARQIDFPLRLVPTQFVGAIGK
EGLTIKNITKQTQSRVDIHRKENS GAAEKPVTIHATPEGTSEACRMILEIMQKEADETKLAEEIPLKILA
HNGLVGR LIGKEGRNLK KIEHETGTKITISSLQDLSIYNPERTITVKG TVEACASAEIEIMKKLREAFEN
DMLAVNQANLIPGLNLSALGIFSTGLSVLSPAGPRGAPPAAPYHPFTTHSGYFSSLYPHHQFGPFPHH
HSYPEQEI VNLFIPTQAVGAIIGKGAHIKQLARFAGASIKIAPAEGPDVSE RMMVIITGPPEAQFKAQGR
IFGKLKEENFFNPKEEVKLEAHIRVPSSTAGRVIGKGGKTVNELQNLTSAEVIVPRDQTPDENEEVIVRI
IGHFFASQTAQRKIREIVQQVKQQEQKYPQGVASQRSK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	65.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_006539
Locus ID:	10644
UniProt ID:	Q9Y6M1
RefSeq Size:	3676
Cytogenetics:	3q27.2
RefSeq ORF:	1794
Synonyms:	IMP-2; IMP2; VICKZ2
Summary:	This gene encodes a protein that binds the 5' UTR of insulin-like growth factor 2 (IGF2) mRNA and regulates its translation. It plays an important role in metabolism and variation in this gene is associated with susceptibility to diabetes. Alternative splicing and promoter usage results in multiple transcript variants. Related pseudogenes are found on several chromosomes. [provided by RefSeq, Sep 2016]

Product images:



Coomassie blue staining of purified IGF2BP2 protein (Cat# [TP305673]). The protein was produced from HEK293T cells transfected with IGF2BP2 cDNA clone (Cat# [RC205673]) using MegaTran 2.0 (Cat# [TT210002]).