

## Product datasheet for TP306429L

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# CD16 (FCGR3A) (NM\_000569) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human Fc fragment of IgG, low affinity Illa, receptor (CD16a)

(FCGR3A), transcript variant 1, 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC206429 representing NM\_000569

or AA Sequence: Red=Cloning site Green=Tags(s)

MGGGAGERLFTSSCLVGLVPLGLRISLVTCPLQCGIMWQLLLPTALLLLVSAGMRTEDLPKAVVFLEPQW YRVLEKDSVTLKCQGAYSPEDNSTQWFHNESLISSQASSYFIDAATVDDSGEYRCQTNLSTLSDPVQLEV HIGWLLLQAPRWVFKEEDPIHLRCHSWKNTALHKVTYLQNGKGRKYFHHNSDFYIPKATLKDSGSYFCRG LVGSKNVSSETVNITITQGLAVSTISSFFPPGYQVSFCLVMVLLFAVDTGLYFSVKTNIRSSTRDWKDHK

**FKWRKDPQDK** 

**TRTRPL**EQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 27.2 kDa

**Concentration:** >0.1 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000560

**Locus ID:** 2214



#### CD16 (FCGR3A) (NM\_000569) Human Recombinant Protein - TP306429L

UniProt ID: P08637, M9MML0

RefSeq Size: 2406 Cytogenetics: 1q23.3 RefSeq ORF: 870

Synonyms: CD16; CD16A; FCG3; FCGR3; FCGRIII; FCR-10; FCRIIIA; IGFR3; IMD20

Summary: This gene encodes a receptor for the Fc portion of immunoglobulin G, and it is involved in the

removal of antigen-antibody complexes from the circulation, as well as other responses, including antibody dependent cellular mediated cytotoxicity and antibody dependent enhancement of virus infections. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on

natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide, whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene are associated with immunodeficiency 20, and have been linked to susceptibility to recurrent viral infections, susceptibility to systemic lupus erythematosus, and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms


have been found for this gene. [provided by RefSeq, Aug 2020]

**Protein Families:** ES Cell Differentiation/IPS, Secreted Protein, Transmembrane

Protein Pathways: Fc gamma R-mediated phagocytosis, Natural killer cell mediated cytotoxicity, Systemic lupus

erythematosus

### **Product images:**



Coomassie blue staining of purified FCGR3A protein (Cat# [TP306429]). The protein was produced from HEK293T cells transfected with FCGR3A cDNA clone (Cat# [RC206429]) using MegaTran 2.0 (Cat# [TT210002]).