

Product datasheet for TP306566

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Apolipoprotein CIII (APOC3) (NM_000040) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human apolipoprotein C-III (APOC3), 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC206566 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MQPRVLLVVALLALLASARASEAEDASLLSFMQGYMKHATKTAKDALSSVQESQVAQQARGWVTDGFSS

L

KDYWSTVKDKFSEFWDLDPEVRPTSAVAA

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 8.7 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity: Cell treatment (PMID: <u>29115584</u>)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000031

Locus ID: 345

UniProt ID: P02656





RefSeq Size: 533

Cytogenetics: 11q23.3

RefSeq ORF: 297

Synonyms: APOCIII


Summary: This gene encodes a protein component of triglyceride (TG)-rich lipoproteins (TRLs) including

very low density lipoproteins (VLDL), high density lipoproteins (HDL) and chylomicrons. The encoded protein plays a role in role in the metabolism of these TRLs through multiple modes. This protein has been shown to promote the secretion of VLDL1, inhibit lipoprotein lipase enzyme activity, and delay catabolism of TRL remnants. Mutations in this gene are associated with low plasma triglyceride levels and reduced risk of ischemic cardiovascular disease, and hyperalphalipoproteinemia, which is characterized by elevated levels of high density lipoprotein (HDL) and HDL cholesterol in human patients. This gene and other related genes comprise an apolipoprotein gene cluster on chromosome 11. [provided by RefSeq, Sep 2017]


Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: PPAR signaling pathway

Product images:



HDLn inhibits THP-1 cell adhesion, while HDLLI and HDL/apoC-III have impaired inhibitory ability. THP-1 cells adhered to endothelial cells were labeled with a fluorescent dye. HDLn, HDL from the control group; HDLLI, HDL from patients with lacunar infarction; HDL/apoC-III, HDL with an elevated content of apolipoprotein C-III after incubation of HDL with apoC-III (100 ug/ml, OriGene TP306566). Figure cited from Int J Mol Med, PMID: 29115584



Coomassie blue staining of purified APOC3 protein (Cat# TP306566). The protein was produced from HEK293T cells transfected with APOC3 cDNA clone (Cat# [RC206566]) using MegaTran 2.0 (Cat# [TT210002]).