

Product datasheet for **TP306619L**

Acyloxyacyl Hydrolase (AOAH) (NM_001637) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human acyloxyacyl hydrolase (neutrophil) (AOAH), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC206619 protein sequence Red =Cloning site Green =Tags(s)

MQSPWKILTVAPLFLLLSLQSSASPANDDQSRPSSLNGHTCVGCVLVVSVIEQLAQVHNSTVQASMERLC
SYLPEKLFKTTTCYLVIDKFGSDIILKLSADMNADVCHTLEFCKQNTGQPLCHLYPLPKETWKFTLQKA
RQIVKKSPILKYSRSGSDICSLPVLAKICQKIKLAMEQSVPFKDVDSDKYSVFPTLRGYHWRGRDCNDS
ESVYPGRRPNNWDVHQDSNCGIWGVDPKDGVPEYKFKCEGSQPRGIILLGDSAGAHFHISPEWITASQM
SLNSFINLPTALTNELDWPQLSGATGFLDSTVGIKEKSIYLRWLKRNHCNHRDYQNI SRNGASSRNLKFF
IESLSRNKVLDPYPAIVIAMIGNDVCSGKSDPVPAMTTPEKLYSNVMQTLKHLNSHLPNGSHVILYGLPD
GTFLWDNLHNRYHPLGQLNKDMTYAQLYSFLNCLQVSPCHGWMSSNKTLRILTSEAEQLSNTLKKIAAS
EKFTNFNLFYMDFAFHEIIQEWQKRGQPWQLIEPVDGFHPNEVALLLLADHFWKVQLQWPQILGKENP
FNPQIKQVFGDQGGH

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	62.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001628
Locus ID:	313
UniProt ID:	P28039
RefSeq Size:	2440
Cytogenetics:	7p14.2
RefSeq ORF:	1725
Summary:	This locus encodes both the light and heavy subunits of acyloxyacyl hydrolase. The encoded enzyme catalyzes the hydrolysis of acyloxylacyl-linked fatty acyl chains from bacterial lipopolysaccharides, effectively detoxifying these molecules. The encoded protein may play a role in modulating host inflammatory response to gram-negative bacteria. Alternatively spliced transcript variants have been described.[provided by RefSeq, Apr 2010]

Product images:



Coomassie blue staining of purified AOAH protein (Cat# [TP306619]). The protein was produced from HEK293T cells transfected with AOAH cDNA clone (Cat# [RC206619]) using MegaTran 2.0 (Cat# [TT210002]).