

Product datasheet for TP307160M

ARRDC1 (NM_152285) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human arrestin domain containing 1 (ARRDC1), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC207160 protein sequence Red =Cloning site Green =Tags(s) MGRVQLFEISLSHGRVVYSPGEPLAGTVRVRLGAPLPFRAIRVTCIGSCGVSNNKANDTAWVVEEGYFNSS LSLADKGSLPAGEHSFPFQFLPATAPTSFEGPFGKIVHQVRAAIHTPRFSKDHKCSLVFYLSPLNLNS IPDIEQPNVASATKKFSYKLVKTGSVLTASTDLRGYVVGQALQLHADVENQSGKDTSPVVASLLQKVS KAKRWIHDVRTIAEVEGAGVKAWRRAQWHEQILVPALPQSALPGCSLIHIDYYLQVSLKAPEATVTLPVF IGNIAVNHAPVSPRGLGLPPGAPPLVPSAPPQEEAEAEAAAGGPHFLDPVFLSTKSHSQRQPLLATLS SVPGAPEPCPDGSPASHPLHPPLCISTGATVPYFAEGSGGPVPTTSTLILPPEYSSWGYPYEAPPSYEQ SCGGVEPSLTPEs TR TRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	45.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_689498</u>


[View online »](#)

Locus ID: 92714

UniProt ID: [Q8N5I2](#)


RefSeq Size: 1621

Cytogenetics: 9q34.3

RefSeq ORF: 1299

Summary: Functions as an adapter recruiting ubiquitin-protein ligases to their specific substrates (PubMed:23886940, PubMed:27462458). Through an ubiquitination-dependent mechanism plays for instance a role in the incorporation of SLC11A2 into extracellular vesicles (PubMed:27462458). More generally, plays a role in the extracellular transport of proteins between cells through the release in the extracellular space of microvesicles (PubMed:22315426). By participating to the ITCH-mediated ubiquitination and subsequent degradation of NOTCH1, negatively regulates the NOTCH signaling pathway (PubMed:23886940).[UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified ARRDC1 protein (Cat# [TP307160]). The protein was produced from HEK293T cells transfected with ARRDC1 cDNA clone (Cat# [RC207160]) using MegaTran 2.0 (Cat# [TT210002]).