

## Product datasheet for TP307790L

### PI 3 Kinase catalytic subunit gamma (PIK3CG) (NM\_002649) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human phosphoinositide-3-kinase, catalytic, gamma polypeptide (PIK3CG), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC207790 representing NM_002649 Red=Cloning site Green=Tags(s)

MELENYKQPVWLREDNCRRRRRMKPRSAASLSSMELIPIEFVLPTSQRKCKSPETALLHVAGHGNVEQM  
KAQVWLRALETSVAADFYHRLGPHHFLLLYQKKGQWYEIYDKYQVWQTLDCRLRYWKATHRSPGQIHLVQR  
HPPSEESQAFQRQLTALIGYDVTDVSNVHDDLEFTRRGLVTPRMAEVASRDPKLYAMHPWVTSKPLPEY  
LWKKIANNCIFIVIHSTTSQTIKVSPDDTPGAILQSFFTKMAKKKSLMDIPESQSEQDFVLRVCGRDEY  
LVGETPIKNFQWVRHCLKNGEEIHVLDTPDPALDEVRKEEWPLVDDCTGVTGYHEQLTIHGKDHESVF  
TVSLWDCDRKFRVKIRGIDIPVLPNTDLTVFVEANIQHGGQVLCQRRTSPKPFTEEVLWNVWLEFSIKI  
KDLPKGALLNLQIYCGKAPALSSKASAESPSESCKGVQLLYVNNLLIDHRFLLRRGEYVLMHWQISGK  
GEDQGSFNADKLT SATNPDKENSMSISILLDNYCHPIALPKHQPTDPEGDRVRAEMP NQLRKQLEAIIA  
TDPLNPLTAEDKELLWHFRYESLKHPKAYPKLFSSVKWGQQEIVAKTYQLLARREVWDQSALDVGLTMQL  
LDCNFSDENVRAIAVQKLESLEDDDLHYLLQLVQAVKFEPYHDSALARFLLKRGLRNKRIGHFLFWFLR  
SEIAQSRHYQQRFAVILEAYLRGCGTAMLHDF TQQVQVIEM LQKVTLDIKLSLAEKYDVSSQVISQLKQK  
LENLQNSQLPESFRVPYDPGLKAGALAIKCKVMASKKKPLWLEFKCADPTALSNETIGIIFKHGDDLRLQ  
DMLILQILRIMESIWETESLDLCLLPYGCISTGDKIGMIEIVKDATTIAKIQQSTVGNTGAFKDEVLNHW  
LKEKSPTEEFQAAVERFVYSCAGYCVATFVLGIGDRHNDNIMITETGNLFHIDFGHILGNYKSLGINK  
ERVPFVLTPDFLVMGTSGKKTSPHFQKFQDICVKAYLALRHHTNLLIILFSMMLMTGMPQLTSKEDIEY  
IRDALTVGKNEEDAKKYFLDQIEVCRDKGWTQFNWFLHLVLGLIKQGEKHS A

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	126.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol



[View online »](#)

<b>Bioactivity:</b>	Surface Plasmon Resonance (SPR) (PMID: <a href="#">26181635</a> )
<b>Preparation:</b>	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
<b>Note:</b>	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
<b>Storage:</b>	Store at -80°C.
<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<a href="#">NP_002640</a>
<b>Locus ID:</b>	5294
<b>UniProt ID:</b>	<a href="#">P48736</a> , <a href="#">A0A024R720</a>
<b>RefSeq Size:</b>	5379
<b>Cytogenetics:</b>	7q22.3
<b>RefSeq ORF:</b>	3306
<b>Synonyms:</b>	p110gamma; p120-PI3K; PI3CG; PI3K; PI3Kgamma; PIK3
<b>Summary:</b>	Phosphoinositide 3-kinases (PI3Ks) phosphorylate inositol lipids and are involved in the immune response. The protein encoded by this gene is a class I catalytic subunit of PI3K. Like other class I catalytic subunits (p110-alpha p110-beta, and p110-delta), the encoded protein binds a p85 regulatory subunit to form PI3K. This gene is located in a commonly deleted segment of chromosome 7 previously identified in myeloid leukemias. Several transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jun 2015]
<b>Protein Families:</b>	Druggable Genome, ES Cell Differentiation/IPS
<b>Protein Pathways:</b>	Acute myeloid leukemia, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Inositol phosphate metabolism, Insulin signaling pathway, Jak-STAT signaling pathway, Leukocyte transendothelial migration, Melanoma, mTOR signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Phosphatidylinositol signaling system, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, VEGF signaling pathway

## Product images:



Coomassie blue staining of purified PIK3CG protein (Cat# [TP307790]). The protein was produced from HEK293T cells transfected with PIK3CG cDNA clone (Cat# [RC207790]) using MegaTran 2.0 (Cat# [TT210002]).