

## Product datasheet for TP307808M

### SIGLECL1 (SIGLEC12) (NM\_053003) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human sialic acid binding Ig-like lectin 12 (SIGLEC12), transcript variant 1, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC207808 protein sequence Red=Cloning site Green=Tags(s)

MLLLLLLLPPLLGRVGAKEQKDYLLTMQKSVTVQEGLCVSVLCSFSYPQNGWTASDPVHGYWFRAGDHV  
SRNIPVATNNPARAVQEETDRFHLGDPQNKDCTLSIRDTRSDAGTYVFCVERGNMKWNYKYDQLSVN  
VTASQDLLSRYLEVPESVTVQEGLCVSVPCSVLYPHYNWTASSPVYGSWFKEGADIPWDIPVATNTPSG  
KVQEDTHGRFLLLGDPTNNCSLSIRDARKGDSGKYFQVERGSRKWNYYDKLSVHVTALHMPFTFSIP  
GTLESGHPRNLTCSVPWACEQGTPTITWMGASVSSLDPTITRSSMLSLIPQPQDHGTSLTQVTLPGAG  
VTMTRAVRLNISYPPQNLTMTVFQGDGTASTTLRNGSALSVEGQSLHLVCAVDSNPPARLSWTWGSRTL  
SPSQSSNLGVLELPRVHVKDEGEFTCRAQNPLGSQHISLSLQNEYTGKMRPISGVTLGAFGGAGATAL  
VFLYFCIIFVWVRSRCKKSARPAVGVGDTGMEDANAVRGSASQGPLIESPADDSPPHHAPPALATPSPEE  
GEIQYASLSFHKARPQYPQEQEAIGYEYSEINIPK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	63 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** [NP\\_443729](#)

**Locus ID:** 89858

**UniProt ID:** [Q96PQ1](#)

**RefSeq Size:** 2258

**Cytogenetics:** 19q13.41


**RefSeq ORF:** 1785

**Synonyms:** S2V; Siglec-XII; SIGLECL1; SLG

**Summary:** Sialic acid-binding immunoglobulin-like lectins (SIGLECs) are a family of cell surface proteins belonging to the immunoglobulin superfamily. They mediate protein-carbohydrate interactions by selectively binding to different sialic acid moieties present on glycolipids and glycoproteins. This gene encodes a member of the SIGLEC3-like subfamily of SIGLECs. Members of this subfamily are characterized by an extracellular V-set immunoglobulin-like domain followed by two C2-set immunoglobulin-like domains, and the cytoplasmic tyrosine-based motifs ITIM and SLAM-like. The encoded protein, upon tyrosine phosphorylation, has been shown to recruit the Src homology 2 domain-containing protein-tyrosine phosphatases SHP1 and SHP2. It has been suggested that the protein is involved in the negative regulation of macrophage signaling by functioning as an inhibitory receptor. This gene is located in a cluster with other SIGLEC3-like genes on 19q13.4. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013]

**Protein Families:** Druggable Genome, Stem cell - Pluripotency, Transmembrane

### Product images:



Coomassie blue staining of purified SIGLEC12 protein (Cat# [TP307808]). The protein was produced from HEK293T cells transfected with SIGLEC12 cDNA clone (Cat# [RC207808]) using MegaTran 2.0 (Cat# [TT210002]).