

Product datasheet for **TP307878M**

PCBP1 (NM_006196) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human poly(rC) binding protein 1 (PCBP1), 100 µg

Species: Human

Expression Host: HEK293T

Expression cDNA Clone or AA Sequence: >RC207878 protein sequence
Red=Cloning site **Green**=Tags(s)

MDAGVTESGLNVTLRLLMHGKEVGSIIKKGESVKRIREESGARINISEGNCPERIITLTGPTNAIFK
AFAMIIDKLEEDINSSMTNSTAASRPPVTLRLVVPATQCGSLIGKGGCKIKEIRESTGAQVQVAGDMLPN
STERAITAGVPQSVTECVKQICLVMLETLSQSPQGRVMTIPYQMPASSPVICAGGQDRCSDAAGYPHA
THDLEGPPLDAYSIQGQHTISPLDLAKLNQVARQQSHFAMMHGGTGFAGIDSSSPEVKGYWASLDASTQT
THELTIPNNLIGCIIGRQGANINEIRQMSGAIKIANPVEGSSGRQVTITGSAASISLAQYLINARLSSE
KGMGCS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 37.3 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: [NP_006187](#)

Locus ID: 5093



[View online »](#)

UniProt ID: [Q15365](#), [Q53SS8](#)

RefSeq Size: 1772

Cytogenetics: 2p13.3


RefSeq ORF: 1068

Synonyms: HEL-S-85; hnRNP-E1; hnRNP-X; HNRPE1; HNRPX

Summary: This intronless gene is thought to have been generated by retrotransposition of a fully processed PCBP-2 mRNA. This gene and PCBP-2 have paralogues (PCBP3 and PCBP4) which are thought to have arisen as a result of duplication events of entire genes. The protein encoded by this gene appears to be multifunctional. It along with PCBP-2 and hnRNP-K corresponds to the major cellular poly(rC)-binding protein. It contains three K-homologous (KH) domains which may be involved in RNA binding. This encoded protein together with PCBP-2 also functions as translational coactivators of poliovirus RNA via a sequence-specific interaction with stem-loop IV of the IRES and promote poliovirus RNA replication by binding to its 5'-terminal cloverleaf structure. It has also been implicated in translational control of the 15-lipoxygenase mRNA, human Papillomavirus type 16 L2 mRNA, and hepatitis A virus RNA. The encoded protein is also suggested to play a part in formation of a sequence-specific alpha-globin mRNP complex which is associated with alpha-globin mRNA stability. [provided by RefSeq, Jul 2008]

Protein Pathways: Spliceosome

Product images:



Coomassie blue staining of purified PCBP1 protein (Cat# [TP307878]). The protein was produced from HEK293T cells transfected with PCBP1 cDNA clone (Cat# [RC207878]) using MegaTran 2.0 (Cat# [TT210002]).