

## Product datasheet for TP307890L

### CD56 (NCAM1) (NM\_181351) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human neural cell adhesion molecule 1 (NCAM1), transcript variant 2, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC207890 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MLQTKDLIWTLFFLGTAVSLQVDIVPSQGEISVGESKFFLCQVAGDAKDKDISWFSPNGEKLTPNQQRIS  
VWNDDSSSTLIYNANIDDAGIYKCVVTGEDGSESEATVNVKIFQKLMFKNAPTQEFREGEDAVIVCD  
VSSLPPTIWKHKGRDVILKKDVRVIVLSNNYLQIRGIKKTDEGTYRCEGRILARGEINFKDIQVIVNV  
PPTIARQNIIVNATANLGQSVTLVCD AEGFPEPTMSWTKDGEQIEQEEDDEKYIFSDSSQLTIKKVDKN  
DEAEYICIAENKAGEQDATIHLKVFAPKITYVENQTAMELEEQVTLTCEASGDPIPSITWRTSTRNISS  
EEKASWTRPEKQETLDGHMVVRS HARVSSLTKSIQYTDAGEYICTASNTIGQDSQSMYLEVQYAPKLQG  
PVAVYTWEGNQVNITCEVFAYPSATISWFRDQQLPSSNYSNIKIYNTPSASYLEVTPDSENDGNYNCT  
AVNRIGQESLEFILVQADTPSSPSIDQVEPYSSTAQVQFDEPEATGGVPILKYKAEWRAVGEEVWHSKWY  
DAKEASMEGIVTIVGLKPETTYAVRLAALNGKGLGEISAASEFKTQPVQGEPSAPKLEGQMGEDGNSIKV  
NLIKQDDGGSPIRHVLRVYRALSSEWKPEIRLPSGSDHVMLKSLDWN A EYEVVVAENQQGKSKAAHFVF  
RTSAQPTAIPANGSPTSGLSTGAIVGILIVIFVLLLWVDITCYFLNKCGLFMCIAVNLCGKAGPGAKGK  
DMEEGKAAFSKDESKEPIVEVRTEEERTPNHDGGKHTEPNETPLTEPEKGPVEAKPECQETETKPAPAE  
VKTVPNDATQTKENENKA


**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

Tag:	C-Myc/DDK
Predicted MW:	94.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.



[View online »](#)

<b>Note:</b>	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
<b>Storage:</b>	Store at -80°C.
<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<a href="#">NP_851996</a>
<b>Locus ID:</b>	4684
<b>UniProt ID:</b>	<a href="#">P13591</a>
<b>RefSeq Size:</b>	6007
<b>Cytogenetics:</b>	11q23.2
<b>RefSeq ORF:</b>	2574
<b>Synonyms:</b>	CD56; MSK39; NCAM
<b>Summary:</b>	<p>This gene encodes a cell adhesion protein which is a member of the immunoglobulin superfamily. The encoded protein is involved in cell-to-cell interactions as well as cell-matrix interactions during development and differentiation. The encoded protein plays a role in the development of the nervous system by regulating neurogenesis, neurite outgrowth, and cell migration. This protein is also involved in the expansion of T lymphocytes, B lymphocytes and natural killer (NK) cells which play an important role in immune surveillance. This protein plays a role in signal transduction by interacting with fibroblast growth factor receptors, N-cadherin and other components of the extracellular matrix and by triggering signalling cascades involving FYN-focal adhesion kinase (FAK), mitogen-activated protein kinase (MAPK), and phosphatidylinositol 3-kinase (PI3K). One prominent isoform of this gene, cell surface molecule CD56, plays a role in several myeloproliferative disorders such as acute myeloid leukemia and differential expression of this gene is associated with differential disease progression. For example, increased expression of CD56 is correlated with lower survival in acute myeloid leukemia patients whereas increased severity of COVID-19 is correlated with decreased abundance of CD56-expressing NK cells in peripheral blood. Alternative splicing results in multiple transcript variants encoding distinct protein isoforms. [provided by RefSeq, Aug 2020]</p>
<b>Protein Families:</b>	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
<b>Protein Pathways:</b>	Cell adhesion molecules (CAMs), Prion diseases

**Product images:**

Coomassie blue staining of purified NCAM1 protein (Cat# [TP307890]). The protein was produced from HEK293T cells transfected with NCAM1 cDNA clone (Cat# [RC207890]) using MegaTran 2.0 (Cat# [TT210002]).