

Product datasheet for **TP308127M**

PKC delta (PRKCD) (NM_212539) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human protein kinase C, delta (PRKCD), transcript variant 2, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC208127 protein sequence Red =Cloning site Green =Tags(s)

MAPFLRIAFNSYELGSLQAEDEANQPFCVAKMKEALSTERGKTLVQKKPTMYPEWKSTFDAHIYEGRVIQ
IVLMRAAEEPVSEVTGVSVLAERCKKNNNGKAEFWLDLQPQAKVLMVSVQYFLEDVDCKQSMRSEDEAKFP
TMNRRGAIKQAKIHYIKNHEFIATFFGQPTFCVCKDFVWGLNKQGYKCRQCNAAIHKKCIDKIIIGRCTG
TAANSRDTIFQKERFNIDMPHRFKVHNYMSPTFCDHCGSLLWGLVKQGLKCEDCGMNVVHHKCREKVANLC
GINQKLLAEALNQVTQRASRRSDSASSEPVGIYQGFEEKTGAVGEDMQDNSGTYGKIWEGSSKCNINNF
FHKVLGKGSFGKVLGELKGRGEYFAIKALKKDVLLIDDDVECTMVEKRVLTAAENPFLTHLICTFQTK
DHLFFVMEFLNGGDLMYHIQDKGRFELYRATFYAAEIMCGLQFLHSGIYRDLKLDNVLLDRDGHKIA
DFGMCKENIFGESRASTFCGTPDYIAPEILQGLKYTFSVDWWSFGVLLYEMLIGQSPFHHGDEDELFESE
RVDTPHYPRWITKESKDILEKLFEREPTKRLGVTGNIKIHPFFKTINWTLLEKRRLEPPFRPKVKSPPDY
SNFDQEFLEKARLSYSDKNLIDSMDSQAFAGFSVNPKEHLLD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	77.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_997704
Locus ID:	5580
UniProt ID:	Q05655 , A0A024R328
RefSeq Size:	2738
Cytogenetics:	3p21.1
RefSeq ORF:	2028
Synonyms:	ALPS3; CVID9; MAY1; nPKC-delta; PKCD
Summary:	The protein encoded by this gene is a member of the protein kinase C family of serine- and threonine-specific protein kinases. The encoded protein is activated by diacylglycerol and is both a tumor suppressor and a positive regulator of cell cycle progression. Also, this protein can positively or negatively regulate apoptosis. Defects in this gene are a cause of autoimmune lymphoproliferative syndrome. [provided by RefSeq, Aug 2017]
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Chemokine signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, GnRH signaling pathway, Neurotrophin signaling pathway, Tight junction, Type II diabetes mellitus, Vascular smooth muscle contraction

Product images:



Coomassie blue staining of purified PRKCD protein (Cat# [TP308127]). The protein was produced from HEK293T cells transfected with PRKCD cDNA clone (Cat# [RC208127]) using MegaTran 2.0 (Cat# [TT210002]).