

Product datasheet for TP308197M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Pellino 1 (PELI1) (NM_020651) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human pellino homolog 1 (Drosophila) (PELI1), 100 μg

Species: Human Expression Host: HEK293T

Expression cDNA > Clone or AA R Sequence:

>RC208197 protein sequence Red=Cloning site Green=Tags(s)

MFSPDQENHPSKAPVKYGELIVLGYNGSLPNGDRGRRKSRFALFKRPKANGVKPSTVHIACTPQAAKAIS NKDQHSISYTLSRAQTVVVEYTHDSNTDMFQIGRSTESPIDFVVTDTVPGSQSNSDTQSVQSTISRFACR IICERNPPFTARIYAAGFDSSKNIFLGEKAAKWKTSDGQMDGLTTNGVLVMHPRNGFTEDSKPGIWREIS VCGNVFSLRETRSAQQRGKMVEIETNQLQDGSLIDLCGATLLWRTAEGLSHTPTVKHLEALRQEINAARP QCPVGFNTLAFPSMKRKDVVDEKQPWVYLNCGHVHGYHNWGNKEERDGKDRECPMCRSVGPYVPLWLGCE

AGFYVDAGPPTHAFSPCGHVCSEKTTAYWSQIPLPHGTHTFHAACPFCAHQLAGEQGYIRLIFQGPLD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 46.1 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 065702

Locus ID: 57162




UniProt ID: <u>Q96FA3</u>, <u>Q53T26</u>

RefSeq Size: 3780 Cytogenetics: 2p14 RefSeq ORF: 1254

Summary: E3 ubiquitin ligase catalyzing the covalent attachment of ubiquitin moieties onto substrate

proteins. Involved in the TLR and IL-1 signaling pathways via interaction with the complex containing IRAK kinases and TRAF6. Mediates 'Lys-63'-linked polyubiquitination of IRAK1 allowing subsequent NF-kappa-B activation (PubMed:12496252, PubMed:17675297). Mediates 'Lys-48'-linked polyubiquitination of RIPK3 leading to its subsequent proteasome-dependent degradation; preferentially recognizes and mediates the degradation of the 'Thr-182' phosphorylated form of RIPK3 (PubMed:29883609). Negatively regulates necroptosis by reducing RIPK3 expression (PubMed:29883609). Mediates 'Lys-63'-linked ubiquitination of RIPK1 (PubMed:29883609). [UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified PELI1 protein (Cat# [TP308197]). The protein was produced from HEK293T cells transfected with PELI1 cDNA clone (Cat# [RC208197]) using MegaTran 2.0 (Cat# [TT210002]).