

Product datasheet for **TP308507**

NKRF (NM_017544) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human NFKB repressing factor (NKRF), 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC208507 protein sequence Red =Cloning site Green =Tags(s)

MEKILQMAEGIDIGEMPSYDLVLSKPSKGQKRHLSTCDGQNPPKKQAGSKFHARPRFEPVHFVASSKDE
RQEDPYGPQTKEVNEQTHFASMPRDIYQDYTQDSFSIQDGNISQYCDSSGFILTKDQPV TANMYFDSGNPA
PSTTSQQANSQSTPEPSQTFPESVVAEKQYFIEKLTATIWKNSNPEMTSGSDKINITYMLTRCIQAC
KTNPEYIYAPLKEIPPADIPKNKLLTDGYACEVRCQNIYLTGYAGSKNGSRDRATELAVKLLQKRIEV
RVVRRKFKHTFGEDLVVCQIGMSSYEFPPALKPPEDLVVLGKDASGQPIFNASAKHWTFVITENANDAI
GILNNSASFNKMSIEYKYEMMPNRTWRCRVFLQDHCLAEGYGTKTKSKHAAADEALKILQKTQPTYPSVK
SSQCHTGSSPRGSGKKKDIKDLVYENSSNPVCTLNDAQFNRMTVEVYERMTGLRWKCKVILESEVIA
EAVGVKKTVKYEAAGEAVKTLKKTQPTVINLKKGAVEDVISRNEIQGRSAAEAYKQKIKEDNIGNQLLR
KMGWTGGGLGKSGEGIREPISVKEQHKREGLDVERVNKIAKRDIEQIIRNYARSESHTDLTFSREL TN
DERKQIHQIAQKYGLKSKSHGVGHDRYLWVGRKRRKEDLLDQLKQEGQVGHYELVMPQAN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	77.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_060014
Locus ID:	55922
UniProt ID:	O15226 , A3F769
RefSeq Size:	3263
Cytogenetics:	Xq24
RefSeq ORF:	2070
Synonyms:	ITBA4; NRF
Summary:	This gene encodes a transcriptional repressor that interacts with specific negative regulatory elements to mediate transcriptional repression of certain nuclear factor kappa B responsive genes. The protein localizes predominantly to the nucleolus with a small fraction found in the nucleoplasm and cytoplasm. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Mar 2010]
Protein Families:	Transcription Factors

Product images:



Coomassie blue staining of purified NKRF protein (Cat# TP308507). The protein was produced from HEK293T cells transfected with NKRF cDNA clone (Cat# [RC208507]) using MegaTran 2.0 (Cat# [TT210002]).