

## Product datasheet for TP308533L

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Mitocondrial Translational Initiation Factor 3 (MTIF3) (NM\_152912) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human mitochondrial translational initiation factor 3 (MTIF3), nuclear

gene encoding mitochondrial protein, 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC208533 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MAALFLKRLTLQTVKSENSCIRCFGKHILQKTAPAQLSPIASAPRLSFLIHAKAFSTAEDTQNEGKKIKK NKTAFSNVGRKISQRVIHLFDEKGNDLGNMHRANVIRLMDERDLRLVQRNTSTEPAEYQLMTGLQILQER QRLREMEKANPKTGPTLRKELILSSNIGQHDLDTKTKQIQQWIKKKHLVQITIKKGKNVDVSENEMEEIF HQILQTMPGIATFSSRPQAVQGGKALMCVLRALSKNEEKAYKETQETQERDTLNKDHGNDKESNVLHQ

**TRTRPL**EQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 31.5 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 690876

**Locus ID:** 219402





UniProt ID: Q9H2K0
RefSeq Size: 1037

Cytogenetics: 13q12.2


RefSeq ORF: 834
Synonyms: IF3mt

**Summary:** This gene encodes a translation initiation factor that is involved in mitochondrial protein

synthesis. Polymorphism in this gene is associated with the onset of Parkinson's disease. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on

chromosome 5. [provided by RefSeq, Oct 2009]

## **Product images:**



Coomassie blue staining of purified MTIF3 protein (Cat# [TP308533]). The protein was produced from HEK293T cells transfected with MTIF3 cDNA clone (Cat# [RC208533]) using MegaTran 2.0 (Cat# [TT210002]).