

Product datasheet for TP308566

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FUCA2 (NM_032020) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human fucosidase, alpha-L- 2, plasma (FUCA2),full length, with

C-terminal MYC/DDK tag, expressed in HEK293 cells, 20 µg

Species: Human Expression Host: HEK293

Expression cDNA >RC208566 representing NM_032020 Clone or AA Sequence: Red=Cloning site Green=Tags(s)

MRPQELPRLAFPLLLLLLLLPPPPCPAHSATRFDPTWESLDARQLPAWFDQAKFGIFIHWGVFSVPSFG SEWFWWYWQKEKIPKYVEFMKDNYPPSFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFT LWGSEYSWNWNAIDEGPKRDIVKELEVAIRNRTDLRFGLYYSLFEWFHPLFLEDESSSFHKRQFPVSKTL PELYELVNNYQPEVLWSDGDGGAPDQYWNSTGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDR YNPGHLLPHKWENCMTIDKLSWGYRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFE ERLRQVGSWLKVNGEAIYETYTWRSQNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGAT

EVKLLGHGQPLNWISLEQNGIMVELPQLTIHQMPCKWGWALALTNVI

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK
Predicted MW: 53.9 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.





RefSeq: NP 114409

Locus ID: 2519
UniProt ID: Q9BTY2
RefSeq Size: 2098
Cytogenetics: 6q24.2
RefSeq ORF: 1401

Synonyms: dJ20N2.5

Summary: This gene encodes a plasma alpha-L-fucosidase, which represents 10-20% of the total cellular


fucosidase activity. The protein is a member of the glycosyl hydrolase 29 family, and catalyzes the hydrolysis of the alpha-1,6-linked fucose joined to the reducing-end N-acetylglucosamine of the carbohydrate moieties of glycoproteins. This enzyme is essential for Helicobacter pylori

adhesion to human gastric cancer cells. [provided by RefSeq, Aug 2010]

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Other glycan degradation

Product images:



Coomassie blue staining of purified FUCA2 protein (Cat# TP308566). The protein was produced from HEK293T cells transfected with FUCA2 cDNA clone (Cat# [RC208566]) using MegaTran 2.0 (Cat# [TT210002]).