

Product datasheet for **TP308780M**

UBE2L3 (NM_003347) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human ubiquitin-conjugating enzyme E2L 3 (UBE2L3), transcript variant 1, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC208780 protein sequence Red =Cloning site Green =Tags(s)

MAASRRLMKELEEIRKCGMKNFRNIQVDEANLLTWQGLIVPDNPPYDKGAFRIEINFPAEYPFKPPKITF
KTKIYHPNIDEKGQVCLPVISAENWKPATKTDQVIQSLIALVNDPQPEHPLRADLAEYSKDRKKFKCKNA
EEFTKKYGEKRPVD

TRTRPLE**Q**KLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	17.7 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Bioactivity:	ELISA capture for autoantibodies (PMID: 26616590)
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_003338
Locus ID:	7332



[View online »](#)

UniProt ID: [P68036](#), [A0A024R1A4](#)

RefSeq Size: 3028

Cytogenetics: 22q11.21


RefSeq ORF: 462

Synonyms: E2-F1; L-UBC; UBCH7; UbcM4


Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes (E1s), ubiquitin-conjugating enzymes (E2s) and ubiquitin-protein ligases (E3s). This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is demonstrated to participate in the ubiquitination of p53, c-Fos, and the NF- κ B precursor p105 in vitro. Several alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Sep 2009]

Protein Pathways: Parkinson's disease, Ubiquitin mediated proteolysis

Product images:



The mean levels of serum ubiquitin-conjugating enzyme 2L3 autoantibody (UBE2L3-AAb) by age group in type 1 diabetes mellitus patients (squares) vs. non-diabetic control subjects (circles), as measured by ELISA using recombinant UBE2L3 (OriGene [TP308780]). a: significantly different compared to nondiabetic control subjects in each age group ($P < 0.05$); b: significantly different compared to 18- to 29-year-old in each disease status (non-diabetic control group and type 1 diabetes mellitus patients, respectively; $P < 0.05$). Figure cited from Diabetes Metab J, PMID: 26616590



Coomassie blue staining of purified UBE2L3 protein (Cat# [TP308780]). The protein was produced from HEK293T cells transfected with UBE2L3 cDNA clone (Cat# [RC208780]) using MegaTran 2.0 (Cat# [TT210002]).