

## **Product datasheet for TP308857L**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HBQ1 (NM\_005331) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human hemoglobin, theta 1 (HBQ1), 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC208857 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MALSAEDRALVRALWKKLGSNVGVYTTEALERTFLAFPATKTYFSHLDLSPGSSQVRAHGQKVADALSLA VERLDDLPHALSALSHLHACQLRVDPASFQLLGHCLLVTLARHYPGDFSPALQASLDKFLSHVISALVSE

YR

**TRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK

Predicted MW: 15.3 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005322

 Locus ID:
 3049

 UniProt ID:
 P09105

 RefSeq Size:
 653





Cytogenetics: 16p13.3

RefSeq ORF: 426

Synonyms: **HBQ** 


**Summary:** Theta-globin mRNA is found in human fetal erythroid tissue but not in adult erythroid or other

> nonerythroid tissue. The theta-1 gene may be expressed very early in embryonic life, perhaps sometime before 5 weeks. Theta-1 is a member of the human alpha-globin gene cluster that

involves five functional genes and two pseudogenes. The order of genes is: 5' - zeta pseudozeta - mu - pseudoalpha-2 -pseudoalpha-1 - alpha-2 - alpha-1 - theta-1 - 3'. Research supports a transcriptionally active role for the gene and a functional role for the peptide in

specific cells, possibly those of early erythroid tissue. [provided by RefSeq, Jul 2008]

## **Product images:**



Coomassie blue staining of purified HBQ1 protein (Cat# [TP308857]). The protein was produced from HEK293T cells transfected with HBQ1 cDNA clone (Cat# [RC208857]) using MegaTran 2.0 (Cat# [TT210002]).