

Product datasheet for TP308892L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FXYD4 (NM_173160) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human FXYD domain containing ion transport regulator 4 (FXYD4), 1

mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC208892 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCKCKSSQKQH

SPVPEKAIPLITPGSATTC

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 9.2 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 775183

 Locus ID:
 53828

 UniProt ID:
 P59646

 RefSeq Size:
 787



Cytogenetics: 10q11.21

RefSeq ORF: 267 Synonyms: CHIF

Summary: This gene encodes a member of a family of small membrane proteins that share a 35-amino

acid signature sequence domain, beginning with the sequence PFXYD and containing 7 invariant and 6 highly conserved amino acids. The approved human gene nomenclature for the family is FXYD-domain containing ion transport regulator. FXYD4, originally named CHIF for channel-inducing factor, has been shown to modulate the properties of the Na,K-ATPase, as


has FXYD2, also known as the gamma subunit of the Na,K-ATPase, and FXYD7.

Transmembrane topology has been established for FXYD4 and two family members (FXYD1 and FXYD2), with the N-terminus extracellular and the C-terminus on the cytoplasmic side of the membrane. Alternatively spliced transcript variants encoding the same protein have been

found.[provided by RefSeq, May 2010]

Protein Families: Ion Channels: Other, Transmembrane

Product images:



Coomassie blue staining of purified FXYD4 protein (Cat# [TP308892]). The protein was produced from HEK293T cells transfected with FXYD4 cDNA clone (Cat# [RC208892]) using MegaTran 2.0 (Cat# [TT210002]).