

# **Product datasheet for TP309007**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### ATP6V0D2 (NM\_152565) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human ATPase, H+ transporting, lysosomal 38kDa, V0 subunit d2

(ATP6V0D2), 20 µg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC209007 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MLEGAELYFNVDHGYLEGLVRGCKASLLTQQDYINLVQCETLEDLKIHLQTTDYGNFLANHTNPLTVSKI DTEMRKRLCGEFEYFRNHSLEPLSTFLTYMTCSYMIDNVILLMNGALQKKSVKEILGKCHPLGRFTEMEA VNIAETPSDLFNAILIETPLAPFFQDCMSENALDELNIELLRNKLYKSYLEAFYKFCKNHGDVTAEVMCP ILEFEADRRAFIITLNSFGTELSKEDRETLYPTFGKLYPEGLRLLAQAEDFDQMKNVADHYGVYKPLFEA VGGSGGKTLEDVFYEREVQMNVLAFNRQFHYGVFYAYVKLKEQEIRNIVWIAECISQRHRTKINSYIPIL

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK

Predicted MW: 40.2 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 689778 **Locus ID:** 245972



#### ATP6V0D2 (NM\_152565) Human Recombinant Protein - TP309007

UniProt ID: Q8N8Y2

RefSeq Size: 2370 Cytogenetics: 8q21.3 RefSeq ORF: 1050

Synonyms: ATP6D2; VMA6

**Summary:** Subunit of the integral membrane V0 complex of vacuolar ATPase. Vacuolar ATPase is


responsible for acidifying a variety of intracellular compartments in eukaryotic cells, thus providing most of the energy required for transport processes in the vacuolar system. May play a role in coupling of proton transport and ATP hydrolysis (By similarity).[UniProtKB/Swiss-

Prot Function]

**Protein Pathways:** Epithelial cell signaling in Helicobacter pylori infection, Lysosome, Metabolic pathways,

Oxidative phosphorylation, Vibrio cholerae infection

## **Product images:**



Coomassie blue staining of purified ATP6V0D2 protein (Cat# TP309007). The protein was produced from HEK293T cells transfected with ATP6V0D2 cDNA clone (Cat# [RC209007]) using MegaTran 2.0 (Cat# [TT210002]).