

Product datasheet for TP309050

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CCDC25 (NM_018246) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human coiled-coil domain containing 25 (CCDC25), 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC209050 representing NM_018246 or AA Sequence: Red=Cloning site Green=Tags(s)

MVFYFTSSSVNSSAYTIYMGKDKYENEDLIKHGWPEDIWFHVDKLSSAHVYLRLHKGENIEDIPKEVLMD CAHLVKANSIQGCKMNNVNVVYTPWSNLKKTADMDVGQIGFHRQKDVKIVTVEKKVNEILNRLEKTKVER FPDLAAEKECRDREERNEKKAQIQEMKKREKEEMKKKREMDELRSYSSLMKVENMSSNQDGNDSDEFM

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 24.3 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 060716

 Locus ID:
 55246

 UniProt ID:
 Q86WR0

 RefSeq Size:
 3653






Cytogenetics: 8p21.1

RefSeg ORF: 624

Summary: Transmembrane receptor that senses neutrophil extracellular traps (NETs) and triggers the

ILK-PARVB pathway to enhance cell motility (PubMed:32528174). NETs are mainly composed of DNA fibers and are released by neutrophils to bind pathogens during inflammation (PubMed:32528174). Formation of NETs is also associated with cancer metastasis, NET-DNA acting as a chemotactic factor to attract cancer cells (PubMed:32528174). Specifically binds NETs on its extracellular region, in particular the 8-OHdG-enriched DNA present in NETs, and recruits ILK, initiating the ILK-PARVB cascade to induce cytoskeleton rearrangement and directional migration of cells (PubMed:32528174). In the context of cancer, promotes cancer metastasis by sensing NETs and promoting migration of tumor cells (PubMed:32528174). [UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified CCDC25 protein (Cat# TP309050). The protein was produced from HEK293T cells transfected with CCDC25 cDNA clone (Cat# [RC209050]) using MegaTran 2.0 (Cat# [TT210002]).