

Product datasheet for **TP309094M**

RBPJK (RBPJ) (NM_203284) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human recombination signal binding protein for immunoglobulin kappa J region (RBPJ), transcript variant 4, 100 µg

Species: Human

Expression Host: HEK293T

Expression cDNA Clone or AA Sequence: >RC209094 protein sequence
Red=Cloning site **Green**=Tags(s)

MAWIKRKFGERPPPKRLTREAMRNYLKERGDQTVLILHAKVAQKSYGNEKRFFCPPPCVYLMGSGWKKKK
EQMERDGCSEQESQPCAFIGIGNSDQEMQLNLEGKNYCTAKTLYISDSDKRKHFMLSVKMFYGNSSDDIG
VFLSKRIKVISKPSKKKQSLKNADLCIASGTKVALFNRLRSQTVSTRYLHVEGGNFHASSQQWGAFFIHL
LDDDESEGEFEFTVRDGYIHYGQTVKLVCSVTGMALPRLIIRKVDKQTALLDADDPVSQLHKCAFYLKDE
RMYLCLSQERIIQFQATPCPKENKEMINDGASWTIISTDKAEYTFYEGMGPVLPVTPVPVWESLQLNG
GGDVAMLELTGQNFTPNLRVWFGDVEAETMYRCGESMLCVPDISAFREGWRWRQPVPVPTLVRNDGI
IYSTSLTFTYTPPEGPRPHCSAAGAILRANSSQVPPNESNTNSEGSYTNASTNSTSVTSSTATVVS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 54.2 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

Storage: Store at -80°C.


Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.



[View online >](#)

RefSeq:	NP_976029
Locus ID:	3516
UniProt ID:	Q06330
RefSeq Size:	6008
Cytogenetics:	4p15.2
RefSeq ORF:	1458
Synonyms:	AOS3; CBF-1; CBF1; csl; IGKJRB; IGKJRB1; KBF2; RBP-J; RBP-JK; RBP-J kappa; RBPJK; RBPSUH; SUH
Summary:	The protein encoded by this gene is a transcriptional regulator important in the Notch signaling pathway. The encoded protein acts as a repressor when not bound to Notch proteins and an activator when bound to Notch proteins. It is thought to function by recruiting chromatin remodeling complexes containing histone deacetylase or histone acetylase proteins to Notch signaling pathway genes. Several transcript variants encoding different isoforms have been found for this gene, and several pseudogenes of this gene exist on chromosome 9. [provided by RefSeq, Oct 2013]
Protein Families:	Transcription Factors
Protein Pathways:	Notch signaling pathway

Product images:



Coomassie blue staining of purified RBPJ protein (Cat# [TP309094]). The protein was produced from HEK293T cells transfected with RBPJ cDNA clone (Cat# [RC209094]) using MegaTran 2.0 (Cat# [TT210002]).