

## Product datasheet for TP309099L

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## C7orf59 (LAMTOR4) (NM\_001008395) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human chromosome 7 open reading frame 59 (C7orf59), 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC209099 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MTSALTQGLERIPDQLGYLVLSEGAVLASSGDLENDEQAASAISELVSTACGFRLHRGMNVPFKRLSVVF

GEHTLLVTVSGQRVFVVKRQNRGREPIDV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 10.6 kDa

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 001008396

 Locus ID:
 389541

 UniProt ID:
 Q0VGL1

 RefSeq Size:
 613

 Cytogenetics:
 7q22.1





RefSeq ORF: 297


**Synonyms:** C7orf59

**Summary:** As part of the Ragulator complex it is involved in amino acid sensing and activation of

mTORC1, a signaling complex promoting cell growth in response to growth factors, energy levels, and amino acids. Activated by amino acids through a mechanism involving the lysosomal V-ATPase, the Ragulator functions as a guanine nucleotide exchange factor

activating the small GTPases Rag. Activated Ragulator and Rag GTPases function as a scaffold recruiting mTORC1 to lysosomes where it is in turn activated.[UniProtKB/Swiss-Prot Function]

## **Product images:**



Coomassie blue staining of purified LAMTOR4 protein (Cat# [TP309099]). The protein was produced from HEK293T cells transfected with LAMTOR4 cDNA clone (Cat# [RC209099]) using MegaTran 2.0 (Cat# [TT210002]).