

Product datasheet for TP309383M

CCDC58 (NM_001017928) Human Recombinant Protein

Product data:

Description:Recombinant protein of human coiled-coil domain containing 58 (CCDC58), 100 µgSpecies:HumanExpression Host:HEK293TExpression cDNA Cloop or AA Sequence:Red=Cloning site Green=Tags(s)MAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV pKNEMAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV pKNETag:TATRPLEQKLISEEDLAANDILDYKDDDDKVFrag:C-Myc/DDKPredicted MW:16.4 kDaOoncentration:>0.05 µg/µL as determined by microplate BCA methodPurity:25 mM Tris-HCJ n0 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:Storage:Storage in cli culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Stole for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.RefSeq:NP 001017928	Product Type:	Recombinant Proteins		
Expression Host:HEK293TExpression cDNA Cloon>RC209383 protein sequenceor AA Sequence:Red=Cloning site Green=Tags(s)MAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV KKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP PKNETag:TRTRPLEQKLISEEDLAANDILDYKDDDDKVTag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:>80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCI, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Stole for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Description:	Recombinant protein of human coiled-coil domain containing 58 (CCDC58), 100 μg		
Expression cDNA Cloop or AA Sequence:Rc209383 protein sequence Red=Cloning site Green=Tags(s)MAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV IKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP PKNETRTPLEQKLISEEDLAANDILDYKDDDDKVTag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:>80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCI, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Stole for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Species:	Human		
or AA Sequence:Red=Cloning site Green=Tags(s)MAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV IKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP PKNETag:TRTRPLEQKLISEEDLAANDILDYKDDDDKVTag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:>80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:0.05 µg/µL as determined by SDS-PAGE and Coomassie blue stainingRecombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Expression Host:	HEK293T		
MAAPSGGVNCEEFAEFQELLKVMRTIDDRIVHELNTTVPTASFAGKIDASQTCKQLYESLMAAHASRDRV IKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP PKNETag:TRTRPLEQKLISEEDLAANDILDYKDDDDKVTag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	•			
IKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP PKNETRTRPLEQKLISEEDLAANDILDYKDDDDKVTag:C-Myc/DDKTag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	or AA Sequence:	Red=Cloning site Green=Tags(s)		
Tag:C-Myc/DDKPredicted MW:16.4 kDaConcentration:>0.05 µg/µL as determined by microplate BCA methodPurity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.		IKNCIAQTSAVVKNLREEREKNLDDLTLLKQLRKEQTKLKWMQSELNVEEVVNDRSWKVFNERCRIHFKP		
Predicted MW:16.4 kDaConcentration:>0.05 μg/μL as determined by microplate BCA methodPurity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.		TRTRPLEQKLISEEDLAANDILDYKDDDDKV		
Concentration:>0.05 μg/μL as determined by microplate BCA methodPurity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Tag:	C-Myc/DDK		
Purity:> 80% as determined by SDS-PAGE and Coomassie blue stainingBuffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Predicted MW:	16.4 kDa		
Buffer:25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerolPreparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Concentration:	>0.05 µg/µL as determined by microplate BCA method		
Preparation:Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining		
Note:For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol		
some loss of protein during the filtration process.Storage:Store at -80°C.Stability:Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Preparation:			
Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	Note:			
handling conditions. Avoid repeated freeze-thaw cycles.	Storage:	Store at -80°C.		
RefSeq: <u>NP 001017928</u>	Stability:			
	RefSeq:	<u>NP 001017928</u>		
Locus ID: 131076	Locus ID:	131076		
UniProt ID: <u>Q4VC31</u>	UniProt ID:	<u>Q4VC31</u>		
RefSeq Size:718	RefSeq Size:	718		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	CCDC58 (NM_001017928) Human Recombinant Protein – TP309383M	
Cytogenetics:	3q21.1	
RefSeq ORF:	432	
Product ima	ges:	
	$ \begin{array}{c} 116 \\ 66 \\ 45 \\ 35 \\ 25 \\ 18 \\ 14 \\ \end{array} $	Coomassie blue staining of purified CCDC58 protein (Cat# [TP309383]). The protein was produced from HEK293T cells transfected with CCDC58 cDNA clone (Cat# [RC209383]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US