

Product datasheet for TP309573L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DNase II (DNASE2) (NM_001375) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human deoxyribonuclease II, lysosomal (DNASE2), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone or AA Sequence: >RC209573 protein sequence Red=Cloning site Green=Tags(s)

MIPLLLAALLCVPAGALTCYGDSGQPVDWFVVYKLPALRGSGEAAQRGLQYKYLDESSGGWRDGRALINS PEGAVGRSLQPLYRSNTSQLAFLLYNDQPPQPSKAQDSSMRGHTKGVLLLDHDGGFWLVHSVPNFPPPAS SAAYSWPHSACTYGQTLLCVSFPFAQFSKMGKQLTYTYPWVYNYQLEGIFAQEFPDLENVVKGHHVSQEP WNSSITLTSQAGAVFQSFAKFSKFGDDLYSGWLAAALGTNLQVQFWHKTVGILPSNCSDIWQVLNVNQIA FPGPAGPSFNSTEDHSKWCVSPKGPWTCVGDMNRNQGEEQRGGGTLCAQLPALWKAFQPLVKNYQPCNGM

ARKPSRAYKI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 39.4 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some

loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeg: NP 001366

Locus ID: 1777



UniProt ID: <u>000115</u>

RefSeq Size: 2011

Cytogenetics: 19p13.13 RefSeq ORF: 1080

Synonyms: DNASE2A; DNL; DNL2

Summary: This gene encodes a member of the DNase family. The protein, located in the lysosome,

hydrolyzes DNA under acidic conditions and mediates the breakdown of DNA during


erythropoiesis and apoptosis. Two codominant alleles have been characterized, DNASE2*L (low activity) and DNASE2*H (high activity), that differ at one nucleotide in the promoter region. The

DNASE2*H allele is represented in this record. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome

Protein Pathways: Lysosome

Product images:



Coomassie blue staining of purified DNASE2 protein (Cat# [TP309573]). The protein was produced from HEK293T cells transfected with DNASE2 cDNA clone (Cat# [RC209573]) using MegaTran 2.0 (Cat# [TT210002]).