

Product datasheet for TP309687M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL7R alpha (IL7R) (NM_002185) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human interleukin 7 receptor (IL7R), 100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC209687 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MTILGTTFGMVFSLLQVVSGESGYAQNGDLEDAELDDYSFSCYSQLEVNGSQHSLTCAFEDPDVNITNLE

FEICGALVEVKCLNFRKLQEIYFIETKKFLLIGKSNICVKVGEKSLTCKKIDLTTIVKPEAPFDLSVIYR

EGANDFVVTFNTSHLQKKYVKVLMHDVAYRQEKDENKWTHVNLSSTKLTLLQRKLQPAAMYEIKVRSIPD HYFKGFWSEWSPSYYFRTPEINNSSGEMDPILLTISILSFFSVALLVILACVLWKKRIKPIVWPSLPDHK KTLEHLCKKPRKNLNVSFNPESFLDCQIHRVDDIQARDEVEGFLQDTFPQQLEESEKQRLGGDVQSPNCP SEDVVITPESFGRDSSLTCLAGNVSACDAPILSPSRSLDCRESGKNGPHVYQDLLLSLGTTNSTLPPPFS

LQSGILTLNPVAQGQPILTSLGSNQEEAYVTMSSFYQNQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 49.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 002176



Locus ID: 3575

UniProt ID: P16871
RefSeq Size: 4617
Cytogenetics: 5p13.2
RefSeq ORF: 1377

Synonyms: CD127; CDW127; IL-7R-alpha; IL7RA; ILRA

Summary: The protein encoded by this gene is a receptor for interleukin 7 (IL7). The function of this

receptor requires the interleukin 2 receptor, gamma chain (IL2RG), which is a common gamma chain shared by the receptors of various cytokines, including interleukins 2, 4, 7, 9, and 15. This protein has been shown to play a critical role in V(D)J recombination during lymphocyte

development. Defects in this gene may be associated with severe combined

immunodeficiency (SCID). Alternatively spliced transcript variants have been found. [provided


by RefSeq, Dec 2015]

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway,

Primary immunodeficiency

Product images:



Coomassie blue staining of purified IL7R protein (Cat# [TP309687]). The protein was produced from HEK293T cells transfected with IL7R cDNA clone (Cat# [Rc209687]) using MegaTran 2.0

(Cat# [TT210002]).