

Product datasheet for **TP309741M**

NT5C3 (NT5C3A) (NM_001002009) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human 5'-nucleotidase, cytosolic III (NT5C3), transcript variant 2, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC209741 protein sequence Red =Cloning site Green =Tags(s)

MTNQESAVHVKMMPEFQKSSVRIKNPTRVEEIIICGLIKGGAAKLQIITDFDMTLRFSYKGRKRCPTCHNI
IDNCKLVTDECRKLLQLKEKYAIEVDPVLTVEEKYPYMVEWYTKSHGLLVQQALPKAKLKEIVAESDV
MLKEGYENFFDKLQHSIPVFIFSAGIGDVL EEVIRQAGVYHPNVKVVSNFMDFDGTLKGFKEGELIHV
FNKHDGALRNTEYFNQLKDNSNIILLGDSQGDRLMADGVANVEHILKIGYLNDRVDELLEKYMDSYDIVL
VQDESLEVANSILQKIL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	33.7 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_001002009</u>
Locus ID:	51251



[View online »](#)

UniProt ID:	Q9H0P0 , A0A024RA81
RefSeq Size:	1782
Cytogenetics:	7p14.3
RefSeq ORF:	891
Synonyms:	cN-III; hUMP1; NT5C3; P5'N-1; P5N-1; p36; PN-I; POMP; PSN1; UMPH; UMPH1
Summary:	This gene encodes a member of the 5'-nucleotidase family of enzymes that catalyze the dephosphorylation of nucleoside 5'-monophosphates. The encoded protein is the type 1 isozyme of pyrimidine 5' nucleotidase and catalyzes the dephosphorylation of pyrimidine 5' monophosphates. Mutations in this gene are a cause of hemolytic anemia due to uridine 5-prime monophosphate hydrolase deficiency. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and pseudogenes of this gene are located on the long arm of chromosomes 3 and 4. [provided by RefSeq, Mar 2012]
Protein Families:	Transmembrane
Protein Pathways:	Metabolic pathways, Nicotinate and nicotinamide metabolism, Purine metabolism, Pyrimidine metabolism

Product images:



Coomassie blue staining of purified NT5C3A protein (Cat# [TP309741]). The protein was produced from HEK293T cells transfected with NT5C3A cDNA clone (Cat# [RC209741]) using MegaTran 2.0 (Cat# [TT210002]).