

Product datasheet for **TP309993M**

Interferon gamma (IFNG) (NM_000619) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens interferon, gamma (IFNG), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC209993 protein sequence Red =Cloning site Green =Tags(s)
	 MKYTSYILAFQLCIVLGLSLGCYCDPYVKEAENLKKYFNAGHSDVADNGTLFLGILKNWKEESDRKIMQS QIVSFYFKLFFKNFKDDQSIQKSVETIKEDMNVKFFNSNKKKRDDFEKLTNYSVTDLNVQRKAIHELIVM AELSPAAKTGKRKRSQMLFRGRASQ TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	16.7 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_000610
Locus ID:	3458
UniProt ID:	P01579
RefSeq Size:	1240



[View online »](#)

Cytogenetics: 12q15

RefSeq ORF: 498

Synonyms: IFG; IFI; IMD69

Summary: This gene encodes a soluble cytokine that is a member of the type II interferon class. The encoded protein is secreted by cells of both the innate and adaptive immune systems. The active protein is a homodimer that binds to the interferon gamma receptor which triggers a cellular response to viral and microbial infections. Mutations in this gene are associated with an increased susceptibility to viral, bacterial and parasitic infections and to several autoimmune diseases. [provided by RefSeq, Dec 2015]

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Allograft rejection, Cytokine-cytokine receptor interaction, Graft-versus-host disease, Jak-STAT signaling pathway, Natural killer cell mediated cytotoxicity, Proteasome, Regulation of autophagy, Systemic lupus erythematosus, T cell receptor signaling pathway, TGF-beta signaling pathway, Type I diabetes mellitus

Product images:



Coomassie blue staining of purified IFNG protein (Cat# [TP309993]). The protein was produced from HEK293T cells transfected with IFNG cDNA clone (Cat# [RC209993]) using MegaTran 2.0 (Cat# [TT210002]).