

Product datasheet for TP310166L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HRG (NM_000412) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human histidine-rich glycoprotein (HRG), 1 mg

Species: Human Expression HEK293T

Host:

>RC210166 protein sequence

cDNA Clone or AA Sequence:

Expression

Red=Cloning site Green=Tags(s)

MKALIAALLLITLQYSCAVSPTDCSAVEPEAEKALDLINKRRRDGYLFQLLRIADAHLDRVENTTVYYLV LDVQESDCSVLSRKYWNDCEPPDSRRPSEIVIGQCKVIATRHSHESQDLRVIDFNCTTSSVSSALANTKD SPVLIDFFEDTERYRKQANKALEKYKEENDDFASFRVDRIERVARVRGGEGTGYFVDFSVRNCPRHHFPR HPNVFGFCRADLFYDVEALDLESPKNLVINCEVFDPQEHENINGVPPHLGHPFHWGGHERSSTTKPPFKP HGSRDHHHPHKPHEHGPPPPDERDHSHGPPLPQGPPPLLPMSCSSCQHATFGTNGAQRHSHNNNSSDLH PHKHHSHEQHPHGHHPHAHHPHEHDTHRQHPHGHHPHGHHPHGHHPHGHHPHGHHPHCHDFQDYGPCDPP

PHNQGHCCHGHGPPPGHLRRRGPGKGPRPFHCRQIGSVYRLPPLRKGEVLPLPEANFPSFPLPHHKHPLK

PDNQPFPQSVSESCPGKFKSGFPQVSMFFTHTFPK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 57.6 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss

of protein during the filtration process.

Storage: Store at -80°C.





HRG (NM_000412) Human Recombinant Protein - TP310166L

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000403

Locus ID: 3273

UniProt ID: P04196

RefSeq Size: 2015

Cytogenetics: 3q27.3

RefSeq ORF: 1575

Synonyms: HPRG; HRGP; THPH11

Summary: This histidine-rich glycoprotein contains two cystatin-like domains and is located in plasma and

platelets. The physiological function has not been determined but it is known that the protein binds heme, dyes and divalent metal ions. The encoded protein also has a peptide that displays antimicrobial activity against C. albicans, E. coli, S. aureus, P. aeruginosa, and E. faecalis. It can inhibit rosette formation and interacts with heparin, thrombospondin and plasminogen. Two of the protein's effects,

the inhibition of fibrinolysis and the reduction of inhibition of coagulation, indicate a potential prothrombotic effect. Mutations in this gene lead to thrombophilia due to abnormal histidine-rich


glycoprotein levels. [provided by RefSeq, Nov 2014]

Protein

Secreted Protein

Families:

Product images:



Coomassie blue staining of purified HRG protein (Cat# [TP310166]). The protein was produced from HEK293T cells transfected with HRG cDNA clone (Cat# [RC210166]) using MegaTran 2.0 (Cat# [TT210002]).