

Product datasheet for TP310277

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MARCKS (NM_002356) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human myristoylated alanine-rich protein kinase C substrate

(MARCKS), 20 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC210277 representing NM_002356

or AA Sequence: Red=Cloning site Green=Tags(s)

MGAQFSKTAAKGEAAAERPGEAAVASSPSKANGQENGHVKVNGDASPAAAESGAKEELQANGSAPAADKE EPAAAGSGAASPSAAEKGEPAAAAAPEAGASPVEKEAPAEGEAAEPGSPTAAEGEAASAASSTSSPKAED GATPSPSNETPKKKKKRFSFKKSFKLSGFSFKKNKKEAGEGGEAEAPAAEGGKDEAAGGAAAAAAEAGAA SGEQAAAPGEEAAAGEEGAAGGDPQEAKPQEAAVAPEKPPASDETKAAEEPSKVEEKKAEEAGASAAACE

APSAAGPGAPPEQEAAPAEEPAAAAASSACAAPSQEAQPECSPEAPPAEAAE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 31.4 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity: Binding assay (PMID: <u>25863174</u>)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 002347



Locus ID: 4082

UniProt ID: P29966, Q6NVI1

RefSeq Size: 2589 Cytogenetics: 6q21 RefSeq ORF: 996

Synonyms: 80K-L; MACS; PKCSL; PRKCSL

Summary: The protein encoded by this gene is a substrate for protein kinase C. It is localized to the plasma

membrane and is an actin filament crosslinking protein. Phosphorylation by protein kinase C or

binding to calcium-calmodulin inhibits its association with actin and with the plasma


membrane, leading to its presence in the cytoplasm. The protein is thought to be involved in cell motility, phagocytosis, membrane trafficking and mitogenesis. [provided by RefSeq, Jul

2008]

Protein Families: Druggable Genome

Protein Pathways: Fc gamma R-mediated phagocytosis

Product images:



Coomassie blue staining of purified MARCKS protein (Cat# TP310277). The protein was produced from HEK293T cells transfected with MARCKS cDNA clone (Cat# [RC210277]) using MegaTran 2.0 (Cat# [TT210002]).