

## Product datasheet for TP310464

### GPS2 (NM\_004489) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens G protein pathway suppressor 2 (GPS2), 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA	>RC210464 protein sequence
Clone or AA	Red=Cloning site Green=Tags(s)
Sequence:	<p>MPALLERPKLSNAMARALHRHIMMERERKRQEEEEVDKMMEQKMKEEQERRKKKEMEERMSLEETKEQIL          KLEEKLLALQEEKHQLFLQLKKVLHEEEKRRRKEQSDLTTLTSAAYQQSLTVHTGTHLLSMQSGPGGHNR          PGTLMADRAKQMFQPQLTTRHYVGSAAAFAGTPEHGQFQSGPGGAYGTAQPPPHYGPTQPAYSPSQQL          RAPSAFPAVQYLSQPQPQPYAVHGHFQPTQTGFLQPGGALSQKQMEHANQQTGFSDSSSLRPMHPQALH          PAPGLLASPQLPVQMMPAGKSGFAATSQPGPRLPFIQHSQNPRFYHK</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	36.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_004480</a>
Locus ID:	2874


[View online »](#)

UniProt ID: [Q13227](#)

RefSeq Size: 1181

Cytogenetics: 17p13.1


RefSeq ORF: 981

Synonyms: AMF-1

**Summary:** This gene encodes a protein involved in G protein-mitogen-activated protein kinase (MAPK) signaling cascades. When overexpressed in mammalian cells, this gene could potentially suppress a RAS- and MAPK-mediated signal and interfere with JNK activity, suggesting that the function of this gene may be signal repression. The encoded protein is an integral subunit of the NCOR1-HDAC3 (nuclear receptor corepressor 1-histone deacetylase 3) complex, and it was shown that the complex inhibits JNK activation through this subunit and thus could potentially provide an alternative mechanism for hormone-mediated antagonism of AP1 (activator protein 1) function. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome

### Product images:



Coomassie blue staining of purified GPS2 protein (Cat# TP310464). The protein was produced from HEK293T cells transfected with GPS2 cDNA clone (Cat# [RC210464]) using MegaTran 2.0 (Cat# [TT210002]).