

Product datasheet for TP310483L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MC2 receptor (MC2R) (NM_000529) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human melanocortin 2 receptor (adrenocorticotropic hormone)

(MC2R), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC210483 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MKHIINSYENINNTARNNSDCPRVVLPEEIFFTISIVGVLENLIVLLAVFKNKNLQAPMYFFICSLAISD MLGSLYKILENILIILRNMGYLKPRGSFETTADDIIDSLFVLSLLGSIFSLSVIAADRYITIFHALRYHS IVTMRRTVVVLTVIWTFCTGTGITMVIFSHHVPTVITFTSLFPLMLVFILCLYVHMFLLARSHTRKISTL PRANMKGAITLTILLGVFIFCWAPFVLHVLLMTFCPSNPYCACYMSLFQVNGMLIMCNAVIDPFIYAFRS

PELRDAFKKMIFCSRYW

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 33.7 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000520

Locus ID: 4158



MC2 receptor (MC2R) (NM_000529) Human Recombinant Protein - TP310483L

UniProt ID: Q01718

RefSeq Size: 3652

Cytogenetics: 18p11.21

891 RefSeq ORF:

Synonyms: **ACTHR**

Summary: MC2R encodes one member of the five-member G-protein associated melanocortin receptor


> family. Melanocortins (melanocyte-stimulating hormones and adrenocorticotropic hormone) are peptides derived from pro-opiomelanocortin (POMC). MC2R is selectively activated by adrenocorticotropic hormone, whereas the other four melanocortin receptors recognize a variety of melanocortin ligands. Mutations in MC2R can result in familial glucocorticoid deficiency. Alternate transcript variants have been found for this gene. [provided by RefSeq,

May 2014]

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

Product images:



Coomassie blue staining of purified MC2R protein (Cat# [TP310483]). The protein was produced from HEK293T cells transfected with MC2R cDNA clone (Cat# [RC210483]) using MegaTran 2.0