

# Product datasheet for TP310586L

## BDH2 (NM\_020139) Human Recombinant Protein

### **Product data:**

#### **Product Type: Recombinant Proteins** Recombinant protein of human 3-hydroxybutyrate dehydrogenase, type 2 (BDH2), 1 mg **Description:** Species: Human HEK293T **Expression Host:** Expression cDNA Clone >RC210586 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s) MGRLDGKVIILTAAAQGIGQAAALAFAREGAKVIATDINESKLQELEKYPGIQTRVLDVTKKKQIDQFAN EVERLDVLFNVAGFVHHGTVLDCEEKDWDFSMNLNVRSMYLMIKAFLPKMLAQKSGNIINMSSVASSVKG VVNRCVYSTTKAAVIGLTKSVAADFIQQGIRCNCVCPGTVDTPSLQERIQARGNPEEARNDFLKRQKTGR FATAEEIAMLCVYLASDESTYVTGNPVIIDGGWSL **TRTRPLEQKLISEEDLAANDILDYKDDDDKV** Tag: C-Myc/DDK Predicted MW: 26.5 kDa Concentration: >0.05 µg/µL as determined by microplate BCA method > 80% as determined by SDS-PAGE and Coomassie blue staining **Purity: Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol Recombinant protein was captured through anti-DDK affinity column followed by **Preparation:** conventional chromatography steps. For testing in cell culture applications, please filter before use. Note that you may experience Note: some loss of protein during the filtration process. Store at -80°C. Storage: Stable for 12 months from the date of receipt of the product under proper storage and Stability: handling conditions. Avoid repeated freeze-thaw cycles. **RefSeq:** NP 064524 56898 Locus ID: **UniProt ID:** Q9BUT1



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	BDH2 (NM_020139) Human Recombinant Protein – TP310586L
RefSeq Size:	2936
Cytogenetics:	4q24
RefSeq ORF:	735
Synonyms:	DHRS6; EFA6R; PRO20933; SDR15C1; UCPA-OR; UNQ6308
Summary:	Dehydrogenase that mediates the formation of 2,5-dihydroxybenzoic acid (2,5-DHBA), a siderophore that shares structural similarities with bacterial enterobactin and associates with LCN2, thereby playing a key role in iron assimilation and homeostasis. Plays a role in susceptibility to bacterial infection by providing an assimilable source of iron that is exploited by pathogenic bacteria (By similarity). Also acts as a 3-hydroxybutyrate dehydrogenase (PubMed:16380372).[UniProtKB/Swiss-Prot Function]
Protein Families	: Druggable Genome
Protein Pathway	<b>ys:</b> Butanoate metabolism, Metabolic pathways, Synthesis and degradation of ketone bodies

### **Product images:**



Coomassie blue staining of purified BDH2 protein (Cat# [TP310586]). The protein was produced from HEK293T cells transfected with BDH2 cDNA clone (Cat# [RC210586]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US