

# **Product datasheet for TP310827L**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## H2BC13 (NM\_003519) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human histone cluster 1, H2bl (HIST1H2BL), 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC210827 representing NM\_003519 or AA Sequence: Red=Cloning site Green=Tags(s)

MPELAKSAPAPKKGSKKAVTKAQKKDGKKRKRSRKESYSVYVYKVLKQVHPDTGISSKAMGIMNSFVNDI

FERIASEASRLAHYNKRSTITSREIQTAVRLLLPGELAKHAVSEGTKAVTKYTSSK

**TRTRPL**EQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

**Predicted MW:** 13.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 003510

 Locus ID:
 8340

 UniProt ID:
 Q99880

 RefSeq Size:
 453

Cytogenetics: 6p22.1



#### H2BC13 (NM\_003519) Human Recombinant Protein - TP310827L

RefSeq ORF: 378

**Synonyms:** dJ97D16.4; H2B/c; H2BFC; HIST1H2BL


**Summary:** Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2B family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on

chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015]

**Protein Pathways:** Systemic lupus erythematosus

## **Product images:**



Coomassie blue staining of purified HIST1H2BL protein (Cat# [TP310827]). The protein was produced from HEK293T cells transfected with HIST1H2BL cDNA clone (Cat# [RC210827]) using MegaTran 2.0 (Cat# [TT210002]).