

## Product datasheet for **TP311172**

### PGK1 (NM\_000291) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human phosphoglycerate kinase 1 (PGK1), 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC211172 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MSLSNKLTLDKLDVKGRVVMRVDNFNPMKNNQITNNQRIKAAVPSIKFCLDNGAKSVVLMShLGRPDGV  
PMPDKYSLEPVAVELKSLGKDVFLKDCVGPVEVEKACANPAAGSVILLENLRFHVEEEGKGDASGNKV  
KAEPAKIEAFRASLSKLGDVYVNDVAFGTAHRAHSSMVGVNLPQKAGGFLMKKELNYFAKALESPERPFLA  
ILGGAKVADKIQLINNMLDKVNEMIIGGGMAFTFLKVLNNMEIGTSLFDEEGAKIVKDLMSKAEKNGVKI  
TLPVDFVTADKFDENAKTGQATVASGIPAGWMGLDCGPESKKYAEAVTRAKQIVWNGPVGVFWEAFAR  
GTKALMDEVVKATSRGCITIIIGGGDTATCCAkwntEDKvshvstGGGASLELLEgkvLPGVDALSNI

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

Tag:	C-Myc/DDK
Predicted MW:	44.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_000282</a>
Locus ID:	5230



[View online »](#)

UniProt ID: [P00558](#), [V9HWF4](#)  
RefSeq Size: 2439  
Cytogenetics: Xq21.1  
RefSeq ORF: 1251  
Synonyms: HEL-S-68p; MIG10; PGKA

**Summary:** The protein encoded by this gene is a glycolytic enzyme that catalyzes the conversion of 1,3-diphosphoglycerate to 3-phosphoglycerate. The encoded protein may also act as a cofactor for polymerase alpha. Additionally, this protein is secreted by tumor cells where it participates in angiogenesis by functioning to reduce disulfide bonds in the serine protease, plasmin, which consequently leads to the release of the tumor blood vessel inhibitor angiostatin. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Deficiency of the enzyme is associated with a wide range of clinical phenotypes hemolytic anemia and neurological impairment. Pseudogenes of this gene have been defined on chromosomes 19, 21 and the X chromosome. [provided by RefSeq, Jan 2014]

**Protein Families:** Druggable Genome

**Protein Pathways:** Glycolysis / Gluconeogenesis, Metabolic pathways

### Product images:



Coomassie blue staining of purified PGK1 protein (Cat# TP311172). The protein was produced from HEK293T cells transfected with PGK1 cDNA clone (Cat# [RC211172]) using MegaTran 2.0 (Cat# [TT210002]).