

## Product datasheet for **TP311210M**

### **C15orf24 (EMC7) (NM\_020154) Human Recombinant Protein**

#### Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human chromosome 15 open reading frame 24 (C15orf24), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC211210 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)
	<p>MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEAGSGSGVGIGDRFKIEGRAVPGVKPQDWISAARVLVD GEEHVGFLKTDGSFVVDIPSGSYVEVWSPAYRFDPPVRVDITSGKMRARYVNYIKTSEVRLPYPLQM KSSGPPSYFIKRESWGWTDFLMNPMVMMMLVPLLIFFVLLPKVNTSDPDMRREMEQSMNMLNSNHEL PDV SEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR</p> <p><b>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</b></p>
Tag:	C-Myc/DDK
Predicted MW:	26.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u><a href="#">NP_064539</a></u>
Locus ID:	56851



[View online »](#)

UniProt ID:	<u>Q9NPA0</u>
RefSeq Size:	1075
Cytogenetics:	15q14
RefSeq ORF:	726
Synonyms:	C11orf3; C15orf24; HT022; ORF1-FL1
Summary:	<p>Part of the endoplasmic reticulum membrane protein complex (EMC) that enables the energy-independent insertion into endoplasmic reticulum membranes of newly synthesized membrane proteins (PubMed:30415835, PubMed:29809151, PubMed:29242231, PubMed:32459176, PubMed:32439656). Preferentially accommodates proteins with transmembrane domains that are weakly hydrophobic or contain destabilizing features such as charged and aromatic residues (PubMed:30415835, PubMed:29809151, PubMed:29242231). Involved in the cotranslational insertion of multi-pass membrane proteins in which stop-transfer membrane-anchor sequences become ER membrane spanning helices (PubMed:30415835, PubMed:29809151). It is also required for the post-translational insertion of tail-anchored/TA proteins in endoplasmic reticulum membranes (PubMed:29809151, PubMed:29242231). By mediating the proper cotranslational insertion of N-terminal transmembrane domains in an N-exo topology, with translocated N-terminus in the lumen of the ER, controls the topology of multi-pass membrane proteins like the G protein-coupled receptors (PubMed:30415835). By regulating the insertion of various proteins in membranes, it is indirectly involved in many cellular processes (Probable). [UniProtKB/Swiss-Prot Function]</p>
Protein Families:	Transmembrane

## Product images:



Coomassie blue staining of purified EMC7 protein (Cat# [TP311210]). The protein was produced from HEK293T cells transfected with EMC7 cDNA clone (Cat# [RC211210]) using MegaTran 2.0 (Cat# [TT210002]).