

Product datasheet for TP311392M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RFC4 (NM_181573) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human replication factor C (activator 1) 4, 37kDa (RFC4), transcript

variant 2, 100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC211392 representing NM_181573

or AA Sequence: Red=Cloning site Green=Tags(s)

MQAFLKGTSISTKPPLTKDRGVAASAGSSGENKKAKPVPWVEKYRPKCVDEVAFQEEVVAVLKKSLEGAD LPNLLFYGPPGTGKTSTILAAARELFGPELFRLRVLELNASDERGIQVVREKVKNFAQLTVSGSRSDGKP CPPFKIVILDEADSMTSAAQAALRRTMEKESKTTRFCLICNYVSRIIEPLTSRCSKFRFKPLSDKIQQQR LLDIAKKENVKISDEGIAYLVKVSEGDLRKAITFLQSATRLTGGKEITEKVITDIAGVIPAEKIDGVFAA CQSGSFDKLEAVVKDLIDEGHAATQLVNQLHDVVVENNLSDKQKSIITEKLAEVDKCLADGADEHLQLIS

LCATVMQQLSQNC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 39.5 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 853551





Locus ID: 5984

 UniProt ID:
 P35249

 RefSeq Size:
 1395

 Cytogenetics:
 3q27.3

 RefSeq ORF:
 1089

Synonyms: A1; RFC37

Summary: The elongation of primed DNA templates by DNA polymerase delta and DNA polymerase


epsilon requires the accessory proteins proliferating cell nuclear antigen (PCNA) and replication factor C (RFC). RFC, also named activator 1, is a protein complex consisting of five distinct subunits of 140, 40, 38, 37, and 36 kD. This gene encodes the 37 kD subunit. This subunit forms a core complex with the 36 and 40 kDa subunits. The core complex possesses DNA-dependent ATPase activity, which was found to be stimulated by PCNA in an in vitro system. Alternatively spliced transcript variants encoding the same protein have been

reported. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, Stem cell - Pluripotency

Protein Pathways: DNA replication, Mismatch repair, Nucleotide excision repair

Product images:



Coomassie blue staining of purified RFC4 protein (Cat# [TP311392]). The protein was produced from HEK293T cells transfected with RFC4 cDNA clone (Cat# [RC211392]) using MegaTran 2.0 (Cat# [TT210002]).