

Product datasheet for TP311716L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD299 (CLEC4M) (NM_214675) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Homo sapiens C-type lectin domain family 4, member M

(CLEC4M), transcript variant 2, 1 mg

Species: Human Expression Host: HEK293T

Expression cDNA >RC211716 protein sequence
Clone or AA Red=Cloning site Green=Tags(s)

Sequence:

MSDSKEPRVQQLGLLEEDPTTSGIRLFPRDFQFQQIHGHKSSTGCLGHGALVLQLLSFMLLAGVLVAILV QVSKVPSSLSQEQSEQDAIYQNLTQLKAAVGELSEKSKLQEIYQELTQLKAAVGELPEKSKLQEIYQELT RLKAAVGELPEKSKLQEIYQELTRLKAAVGELPEKSKLQEIYQELTE LKAAVGELPEKSKLQEIYQELTQLKAAVGELPDQSKQQQIYQELTDLKTAFERLCRHCPKDWTFFQGNCY FMSNSQRNWHDSVTACQEVRAQLVVIKTAEEQNFLQLQTSRSNRFSWMGLSDLNQEGTWQWVDGSPLSPS

FQRYWNSGEPNNSGNEDCAEFSGSGWNDNRCDVDNYWICKKPAACFRDE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 28.2 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 999840



Locus ID: 10332

UniProt ID: Q9H2X3
RefSeq Size: 1600
Cytogenetics: 19p13.2
RefSeq ORF: 1197

Synonyms: CD299, LSIGN, CD209L, L-SIGN, DCSIGNR, HP10347, DC-SIGN2, DC-SIGNR, MGC47866,

MGC129964


Summary: This gene encodes a C-type lectin that functions in cell adhesion and pathogen recognition. This

receptor recognizes a wide range of evolutionarily divergent pathogens with a large impact on public health, including tuberculosis mycobacteria, and viruses including Ebola, hepatitis C, HIV-1, influenza A, West Nile virus and the SARS-CoV acute respiratory syndrome coronavirus. The protein is organized into four distinct domains: a C-terminal carbohydrate recognition domain, a flexible tandem-repeat neck domain of variable length, a transmembrane region and an N-terminal cytoplasmic domain involved in internalization. This gene is closely related in terms of both sequence and function to a neighboring gene, CD209 (Gene ID: 30835), also known as DC-SIGN. The two genes differ in viral recognition and expression patterns, with this gene showing high expression in endothelial cells of the liver, lymph node and placenta. Polymorphisms in the tandem repeat neck domain are associated with resistance to SARS infection. [provided by

RefSeq, May 2020]

Protein Families: Druggable Genome, Transmembrane

Product images:



Coomassie blue staining of purified CLEC4M protein (Cat# [TP311716]). The protein was produced from HEK293T cells transfected with CLEC4M cDNA clone (Cat# [RC211716]) using MegaTran 2.0 (Cat# [TT210002]).