

Product datasheet for **TP312931M**

Macrophage Scavenger Receptor I (MSR1) (NM_002445) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human macrophage scavenger receptor 1 (MSR1), transcript variant SR-All, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC212931 representing NM_002445 Red =Cloning site Green =Tags(s)

MEQWDHFHNQQEDTDSCSESVKFDARSMTALLPPNPKNPSLQEKLSFKAAALIALYLLVFAVLIPLIGI
VAAQLLKWETKNCSVSSTNANDITQSLTGKGNDSSEEMRFQEVFMEHMSNMEKRIQHILDMEANLMDTEH
FQNFSMTTDQRFNDILLQLSTLFSSVQGHGNAIDEISKSLISLNTLLDLQLNIENLNGKIQENTFKQQE
EISKLEERVYNVSAEIMAMKEEQVHLEQEIKGEVKVLNNITNDLRLKDWEHSQTLRNITLIQGPAGPPGE
KGDRGPTGESGPRGFPPIGPPGLKGDRGAIGFPGSRGLPGYAGRPGNSGPKGQKGEKGSNTLRPVQLT
DHIRAGPS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	39.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_002436



[View online »](#)

Locus ID:	4481
UniProt ID:	P21757
RefSeq Size:	2823
Cytogenetics:	8p22
RefSeq ORF:	1074
Synonyms:	CD204; pHSR1; pHSR2; SCARA1; SR-A; SR-AI; SR-AII; SR-AIII; SRA
Summary:	<p>This gene encodes the class A macrophage scavenger receptors, which include three different types (1, 2, 3) generated by alternative splicing of this gene. These receptors or isoforms are macrophage-specific trimeric integral membrane glycoproteins and have been implicated in many macrophage-associated physiological and pathological processes including atherosclerosis, Alzheimer's disease, and host defense. The isoforms type 1 and type 2 are functional receptors and are able to mediate the endocytosis of modified low density lipoproteins (LDLs). The isoform type 3 does not internalize modified LDL (acetyl-LDL) despite having the domain shown to mediate this function in the types 1 and 2 isoforms. It has an altered intracellular processing and is trapped within the endoplasmic reticulum, making it unable to perform endocytosis. The isoform type 3 can inhibit the function of isoforms type 1 and type 2 when co-expressed, indicating a dominant negative effect and suggesting a mechanism for regulation of scavenger receptor activity in macrophages. [provided by RefSeq, Jul 2008]</p>
Protein Families:	Druggable Genome, Transmembrane

Product images:



Coomassie blue staining of purified MSR1 protein (Cat# [TP312931]). The protein was produced from HEK293T cells transfected with MSR1 cDNA clone (Cat# [RC212931]) using MegaTran 2.0 (Cat# [TT210002]).