

Product datasheet for TP313256

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LD78 beta (CCL3L1) (NM_021006) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human chemokine (C-C motif) ligand 3-like 1 (CCL3L1), 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC213256 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MQVSTAALAVLLCTMALCNQVLSAPLAADTPTACCFSYTSRQIPQNFIADYFETSSQCSKPSVIFLTKRG

RQVCADPSEEWVQKYVSDLELSA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 7.7 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 066286

 Locus ID:
 6349

 UniProt ID:
 P16619

 RefSeq Size:
 805

 Cytogenetics:
 17q21.1





RefSeq ORF: 279

Synonyms: 464.2; D17S1718; G0S19-2; LD78; LD78-beta(1-70); LD78BETA; MIP1AP; SCYA3L; SCYA3L1

Summary: This gene is one of several cytokine genes that are clustered on the q-arm of chromosome 17.

Cytokines are a family of secreted proteins that function in inflammatory and

immunoregulatory processes. The protein encoded by this gene binds to several chemokine receptors, including chemokine binding protein 2 and chemokine (C-C motif) receptor 5 (CCR5). CCR5 is a co-receptor for HIV, and binding of this protein to CCR5 inhibits HIV entry. The copy number of this gene varies among individuals, where most individuals have one to six copies, and a minority of individuals have zero or more than six copies. There are conflicting reports about copy number variation of this gene and its correlation to disease

susceptibility. This record represents one of two copies that are present on the


ALT_REF_LOCI_2 alternate haplotype of the GRCh38 human reference genome assembly. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq,

Apr 2014]

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction

Product images:



Coomassie blue staining of purified CCL3L1 protein (Cat# TP313256). The protein was produced from HEK293T cells transfected with CCL3L1 cDNA clone (Cat# [RC213256]) using MegaTran 2.0 (Cat# [TT210002]).