

## Product datasheet for **TP313502M**

### Cytochrome P450 2E1 (CYP2E1) (NM\_000773) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human cytochrome P450, family 2, subfamily E, polypeptide 1 (CYP2E1), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>Peptide sequence encoded by RC213502 Blue=ORF Red=Cloning site Green=Tag(s)

MSALGVTVALLVWAAFLLLVSMWRQVHSSWNLPPGPFPLPIIGNLFQLELKNIPKSFTRLAQRFPGVFT  
LYVGSQRMVVMHGYKAVKEALLDYKDEFSGRGDLPFAHHRDRGIIFNNGPTWKDIRRFSLTTLRNYGM  
GKQGNESRIQREAHFLEALRKTQGQPFDPFTFLIGCAPCNVIADILFRKHFDYNDEKFLRLMYLFNENF  
HLLSTPWLQLYNNFPSFLHLYLPGSHRKVIKNVAEVKEYVSERVKEHHQSLDPNCPRLDTCLLVEMEKE  
KHSERLYTMDGITVTVADLFFAGTETTSTTLRYGLLILMKYPEIEEKLHEEIDRVIGPSRIPAICKDRQ  
EMPYMDAVVHEIQRFITLVPSNLPHEATRDTIFRGYLIPKGTVVVPTLDSVSYDNQEFDPPEKFKPEHF  
LNENKFKYSDFKPFSTGKRVCAEGGLARMELFLLLCAILQHFNKPLVDPKIDLSPIHIGFGCIPP  
RYKLCVIPRS  
TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Recombinant protein using RC213502 also available, [TP313502M](#)

Tag:	C-Myc/DDK
Predicted MW:	56.7 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** [NP\\_000764](#)

**Locus ID:** 1571

**UniProt ID:** [P05181](#)

**RefSeq Size:** 1667

**Cytogenetics:** 10q26.3

**RefSeq ORF:** 1479


**Synonyms:** CPE1; CYP2E; P450-J; P450C2E

**Summary:** This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is induced by ethanol, the diabetic state, and starvation. The enzyme metabolizes both endogenous substrates, such as ethanol, acetone, and acetal, as well as exogenous substrates including benzene, carbon tetrachloride, ethylene glycol, and nitrosamines which are premutagens found in cigarette smoke. Due to its many substrates, this enzyme may be involved in such varied processes as gluconeogenesis, hepatic cirrhosis, diabetes, and cancer. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, P450, Transmembrane

**Protein Pathways:** Arachidonic acid metabolism, Drug metabolism - cytochrome P450, Linoleic acid metabolism, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450

### Product images:



Coomassie blue staining of purified CYP2E1 protein (Cat# [TP313502]). The protein was produced from HEK293T cells transfected with CYP2E1 cDNA clone (Cat# [RC213502]) using MegaTran 2.0 (Cat# [TT210002]).